


APPLICANT NAME _____

DATE _____

FACTORS		PROFILES								
		1	2	3	4	5	6	7	8	9
LANDSCAPE POSITION	.1940									
SLOPE (%)	.1940									
HORIZON 1 DEPTH										
Texture Group	.1941(A)(1)	0-18	0-38	0-36	0-36					
Consistence	.1941	u/s	u/s	u/s	u/s					
Structure	.1941(A)(2)									
Mineralogy	.1941(A)(3)									
HORIZON 2 DEPTH										
Texture Group	.1941(A)(1)	18-28	28-44	26-42						
Consistence	.1941	scl	scl	su						
Structure	.1941(A)(2)									
Mineralogy	.1941(A)(3)									
HORIZON 3 DEPTH										
Texture Group	.1941(A)(1)	28-40								
Consistence	.1941	scl/su								
Structure	.1941(A)(2)									
Mineralogy	.1941(A)(3)									
HORIZON 4 DEPTH										
Texture Group	.1941(A)(1)	40-44								
Consistence	.1941	scl								
Structure	.1941(A)(2)									
Mineralogy	.1941(A)(3)									
SOIL WETNESS	.1942									
RESTRICTIVE HORIZON	.1944									
SAPROLITE	.1943/1956									
CLASSIFICATION	.1948	ps	ps	ps	ps					
LONG TERM ACCEPTANCE RATE	.1955	.6	.8	.8	.8					



1250 gallon tank
 4 x 85' line
 at 18'-24" deep

H₂O line already installed in front of lot!

4.99 ACRES

10' DRAINAGE EASEMENT

SITE PLAN APPROVAL

DISTRICT RA-20R USE DW/ML

#BEDROOMS 5

Date 10/12/2000 *Jenna Boyd*

Zoning Administrator



DEPARTMENT OF TRANSPORTATION
 DIVISION OF HIGHWAYS
 PROPOSED SUBDIVISION ROAD
 CONSTRUCTION STANDARDS CERTIFICATION
 APPROVED RR Stone

DATE 4.19.00 DISTRICT ENGINEER

ROAD NAMES HAVE BEEN
 REVIEWED AND APPROVED
 BY E-911.

APPROVED BY: *Clint Williams*
 DATE: 4-19-2000

Required Property Line Setbacks

	Minimum	Actual
Front	35	125
Side	10	40
Corner	-	-
Rear	25	120
Nearest Building	10	-



CURVE CHART

SURVEY OF:

$$\begin{array}{r} 85 \\ \hline 340 \\ \hline 32 \\ \hline 20 \end{array}$$