

## IMPROVEMENT PERMIT

Be it ordained by the Harnett County Board of Health as follows: Section III, Item B. "No Person shall begin construction of any building at which a septic tank system is to be used for disposal of sewage without first obtaining a written permit from the Harnett County Health Department."

Name: (owner) Jo Ann Locklean ☒ New Installation ☒ Septic Tank  
 Property Location: SR# 1120 ☐ Repairs ☒ Nitrification Line  
On Overhills across from Happy Valley Subdivision  
 Subdivision \_\_\_\_\_ Lot # Tract 3  
 Tax ID # 01-0504-0007-03 Quadrant # 0504-58-8705  
 Number of Bedrooms Proposed: Three Lot Size: \_\_\_\_\_

Basement with Plumbing: ☐ Garage: ☐  
 Water Supply: ☐ Well ☒ Public ☐ Community  
 Distance From Well: 50 ft.

Following is the minimum specifications for sewage disposal system on above captioned property. Subject to final approval.

Type of system: ☒ Conventional ☐ Other \_\_\_\_\_


Size of tank: Septic Tank: 1000 gallons Pump Tank: \_\_\_\_\_ gallons

Subsurface No. of exact length width of depth of  
 Drainage Field ditches 3 of each ditch 100 ft. ditches 3 ft. ditches 18 max in.

French Drain Required: \_\_\_\_\_ Linear feet

This permit is subject to revocation if site plans or intended use change.

Date: 20 Nov 2000  
 Signed: Vincent R. Dodge, R.S.  
 Environmental Health Specialist



\* maintain all setbacks  
 \* system laid out  
 \* 18" ditch depth (maximum)  
 \* filter & markers required.

\* set tank shallow



00-50000668

HARNETT COUNTY HEALTH DEPARTMENT  
AUTHORIZATION TO CONSTRUCT

Authorization is hereby given to construct a wastewater system to the specifications described by Harnett County Health Department Improvement Permit # 16812. This authorization shall be valid for a period not to exceed five (5) years from the date of issuance. This authorization will be invalid if ownership, site plans, or intended use change.

Owner or Authorized Agent \_\_\_\_\_

Name: JO Ann Locklear Telephone # 497-4732

Address: 7700 Overhill Rd. Spring Lake, NC

Property Location: SR # 1120 Road Name Overhill

New Installation ☒ Repair ☐ Septic Tank ☒ Nitrification Lines ☒

Subdivision \_\_\_\_\_ Lot # Tract 3

Number of Bedrooms Proposed: Three Lot size: \_\_\_\_\_

Basement \_\_\_\_\_ With Plumbing \_\_\_\_\_ Without Plumbing \_\_\_\_\_

Water Supply: Well \_\_\_\_\_ Public ☒ Minimum Well Setback: 50 ft.

Type of System: Conventional ☒ Other \_\_\_\_\_

Tank Volume: Septic Tank 1000 gallons Pump Chamber \_\_\_\_\_ gallons

Nitrification Field Specifications

Number of fields 1 Number of Lines per Field 3 Length of lines 100 feet

Width of ditches 3 ft. Depth of ditches 18 max inches

French Drain: Linear feet required \_\_\_\_\_ Depth of gravel \_\_\_\_\_

No wastewater system shall be covered or placed into use by any person until an inspection by the Harnett County Health Department has determined that the system has been installed according to the conditions of the improvement permit and that a valid operations permit has been issued.

Authorized Agent for Harnett County Health Department

Name: Vernest R. Roper, R.S. Date: 20 Nov 2000