

01-5-2477

IMPROVEMENT PERMIT

Be it ordained by the Harnett County Board of Health as follows: Section III, Item B. "No Person shall begin construction of any building at which a septic tank system is to be used for disposal of sewage without first obtaining a written permit from the Harnett County Health Department."

Name: (owner) TAMMY LEE DUTY

New Installation Septic Tank

Property Location: SR# 1222 BROADWAY RD

Repairs Nitrification Line

Subdivision _____ Lot # _____

Tax ID # _____ Quadrant # _____

Number of Bedrooms Proposed: 3 Lot Size: 2.94 AC

Basement with Plumbing: Garage:

Water Supply: Well Public Community

Distance From Well: 100 ft.

Following is the minimum specifications for sewage disposal system on above captioned property. Subject to final approval.

Type of system: Conventional Other _____

Size of tank: Septic Tank: 1000 gallons Pump Tank: _____ gallons

Subsurface Drainage Field No. of ditches 4 exact length 75 width of 3 depth of 18-20 in.
of each ditch 100 ft. ditches 3 ft. ditches _____ in.

French Drain Required: _____ Linear feet


Date: 7/13/01

This permit is subject to revocation if site plans or intended use change.

Signed: [Signature]
Environmental Health Specialist

* AMENDED ON 7/17 01
SET TANK ON DRIVEWAY
SIDE OF HOUSE. ROW LINES
ALONG REAR OF HOUSE
CALL PRIOR TO INSTALLATION
W/ ANY QUESTIONS

* MAINTAIN ALL SETBACKS
* KEEP TO LINE EVEN W/ HOUSE
OR BELOW (SEE DOTTED LINE)



SR 1222

HARNETT COUNTY HEALTH DEPARTMENT
AUTHORIZATION TO CONSTRUCT

Authorization is hereby given to construct a wastewater system to the specifications described by Harnett County Health Department Improvement Permit # 18571. This authorization shall be valid for a period not to exceed five (5) years from the date of issuance. This authorization will be invalid if ownership, site plans, or intended use change.

Owner or Authorized Agent TAMMY LEE DUTY

Name: _____ Telephone # 919-499-1524

Address: 7200 BROADWAY RD SANFORD NC 27330

Property Location: SR# 1222 Road Name BROADWAY RD

New Installation Repair _____ Septic Tank Nitrification Lines

Subdivision _____ Lot # _____

Number of Bedrooms Proposed: 3 Lot size: 2.94 AC

Basement _____ With Plumbing _____ Without Plumbing _____

Water Supply: Well _____ Public Minimum Well Setback: 100 ft.

Type of System: Conventional Other _____

Tank Volume: Septic Tank 1000 gallons Pump Chamber _____ gallons

Nitrification Field Specifications

Number of fields 3 Number of Lines per Field 3 Length of lines 100

Width of ditches 3 ft. Depth of ditches 18-20 inches

French Drain: Linear feet required _____ Depth of gravel _____

No wastewater system shall be covered or placed into use by any person until an inspection by the Harnett County Health Department has determined that the system has been installed according to the conditions of the improvement permit and that a valid operations permit has been issued.

Authorized Agent for Harnett County Health Department

Name: [Signature] Date: 7/13/01