


SITE/SOIL EVALUATION FOR ON-SITE WASTEWATER

FACTORS		PROFILES												
		1	2	3	4	5	6	7	8	9	10			
LANDSCAPE POSITION	.1940													
SLOPE (%)	.1940													
HORIZON 1 DEPTH														
TEXTURE GROUP	.1941(A)(1)	0.42												
CONSISTENCE	.1941	SC1												
STRUCTURE	.1941(A)(2)													
MINERALOGY	.1941(A)(3)													
HORIZON 2 DEPTH														
TEXTURE GROUP	.1941(A)(1)													
CONSISTENCE	.1941													
STRUCTURE	.1941(A)(2)													
MINERALOGY	.1941(A)(3)													
HORIZON 3 DEPTH														
TEXTURE GROUP	.1941(A)(1)													
CONSISTENCE	.1941													
STRUCTURE	.1941(A)(2)													
MINERALOGY	.1941(A)(3)													
HORIZON 4 DEPTH														
TEXTURE GROUP	.1941(A)(1)													
CONSISTENCE	.1941													
STRUCTURE	.1941(A)(2)													
MINERALOGY	.1941(A)(3)													
SOIL WETNESS	.1942													
RESTRICTIVE HORIZON	.1944													
SAPROLITE	.1943/.1956													
CLASSIFICATION	.1948													
LONG TERM ACCEPTANCE RANGE	.1955	.5												

WBR .5

1 x 240
18 24



ACRES

DOBY
97/683

O. S. THOMAS

SITE PLAN APPROVAL

DISTRICT R-2013 USE Res M H

BEDROOMS 3

Date 8-12-02 J. McManis
Zoning Administrator

"LINE CHART"

LINE	BEARING	DISTANCE
1	S56°50'10"E	170.99'
2	S69°32'07"E	130.05'
3	S61°28'21"E	219.61'
4	N80°04'21"E	205.22'
5	N54°57'06"E	229.90'
6	N54°57'06"E	43.19'
7	N88°43'10"W	125.11'
8	S54°05'54"E	147.17'
9	S45°26'50"E	246.84'
10	N74°22'42"E	193.13'
11	S54°41'34"E	77.61'
12	S70°58'07"E	155.90'

Required Property Line Setbacks

	Minimum	Actual
Front	<u>35</u>	<u>110</u>
Side	<u>10</u>	<u>35</u>
Corner	<u>25</u>	<u>35</u>
Rear	<u>25</u>	<u>35</u>
Nearest Building	<u>10</u>	<u>35</u>

SURVEY OF:

"TH"

Scale: 1"=300

Date: 4/25/200

Revised: 7-20

GRAPHIC SCALE

1"=300'



pl

