

# SITE/SOIL EVALUATION FOR ON-SITE WASTEWATER

FACTORS		PROFILES												
		1	2	3	4	5	6	7	8	9	10			
LANDSCAPE POSITION	.1940													
SLOPE (%)	.1940													
HORIZON 1 DEPTH		0-42	0-36	0-36	0-38	0-38								
TEXTURE GROUP	.1941(A)(1)	SL	SL	SL	LS	LS								
CONSISTENCE	.1941													
STRUCTURE	.1941(A)(2)													
MINERALOGY	.1941(A)(3)													
HORIZON 2 DEPTH														
TEXTURE GROUP	.1941(A)(1)													
CONSISTENCE	.1941													
STRUCTURE	.1941(A)(2)													
MINERALOGY	.1941(A)(3)													
HORIZON 3 DEPTH														
TEXTURE GROUP	.1941(A)(1)													
CONSISTENCE	.1941													
STRUCTURE	.1941(A)(2)													
MINERALOGY	.1941(A)(3)													
HORIZON 4 DEPTH														
TEXTURE GROUP	.1941(A)(1)													
CONSISTENCE	.1941													
STRUCTURE	.1941(A)(2)													
MINERALOGY	.1941(A)(3)													
SOIL WETNESS	.1942	36	35	28	387	381								
RESTRICTIVE HORIZON	.1944													
SAPROLITE	.1943/1956													
CLASSIFICATION	.1948	P5	P5	P5										
LONG TERM ACCEPTANCE RANGE	.1955	.5	.5	.5	.8	.8								

1/8" max

Must 1/51  
 Mark R/W for Trunk Drive with Accurate map.  
 Mark R/W for Power Line to H.O.

MAY have obtain permission for power company to  
~~excavate~~ go into R/W with Dean fill

This has to be done 1/51