

HTE# 05-50012855

# IMPROVEMENT PERMIT 22746

Be it ordained by the Harnett County Board of Health as follows: Section III, Item B. "No person shall begin construction of any building at which a septic tank system is to be used for disposal of sewage without first obtaining a written permit from the Harnett County Health Department."

Name: (owner) Ana P. Gonzales New Installation  Septic Tank  Repair

Property Location: SR# NC 24 (Elirca Lane) Nitrification Line  Expansion

Subdivision The Viranda Lot # 5

Tax ID# \_\_\_\_\_ Quadrant # \_\_\_\_\_

Number of Bedrooms Proposed: 2 (14x70) 240 sqft Lot Size: 3.00 AC

Basement with Plumbing:  Garage:

Water Supply:  Well  Public  Community

Distance From Well: 50 ft.

Following is the minimum specifications for sewage disposal system on above captioned property. Subject to final approval.

Type of system:  Conventional  Other \_\_\_\_\_

Size of tank: Septic Tank: 1000 gallons Pump Tank: \_\_\_\_\_ gallons

Subsurface Drainage Field No. of ditches 1 ft. exact length of each ditch 200 ft. width of ditches 3 ft. depth of ditches 18-24 in


French Drain Required: \_\_\_\_\_ Linear feet

Date: 9-16-05  
PERMIT EXPIRES 5 YEARS FROM ABOVE DATE

This permit is subject to revocation if site plans or intended use change.

Signed: [Signature]  
Environmental Health Specialist

STUB out  
Plumbing shallow  
Maintain All  
Set Backs  
Keep SYSTEM  
~~Between~~ IN  
Area of my  
Pink & Orange  
Flags



HARNETT COUNTY DEPARTMENT OF PUBLIC HEALTH  
AUTHORIZATION TO CONSTRUCT

Authorization is hereby given to construct a wastewater system to the specifications described by Harnett County Department of Public Health, Improvement Permit # 22744. This authorization shall be valid for a period not to exceed five (5) years from the date of issuance. *This authorization will be invalid if ownership, site plans, or intended use change.*

Name Anna Gonzalez Telephone # \_\_\_\_\_

Address \_\_\_\_\_

Property Location SR# NC 24 Road Name \_\_\_\_\_  
Subdivision The Viranda Lot # 5 # Bedrooms Proposed 2 (14x70) 24 sq ft Lot Size 3.00 AC

**TYPE OF SYSTEM**

- New Installation [ ] Repair  Septic Tank  Nitrification Lines
- Conventional [ ] Other \_\_\_\_\_
- [ ] Basement [ ] With Plumbing [ ] Without Plumbing

Water Supply: [ ] Well  Public Water Supply Minimum Well Setback: 50 Ft.

Septic Tank 1000 gal Pump Chamber \_\_\_\_\_ gal

**NITRIFICATION FIELD SPECIFICATIONS**

Number of fields 1 # of lines per field 1 Length of lines 200 Ft.

Width of ditches 3 ft. Depth of ditches 18.24 inches

French Drain: Linear feet required \_\_\_\_\_ Depth of gravel \_\_\_\_\_

No wastewater system shall be covered or placed into use by any person until an inspection by the Harnett County Health Department has determined that the system has been installed according to the conditions of the Improvement Permit and that a valid Operations Permit has been issued.

Signature of Authorized Agent for Harnett County Jon West RS

Date 9-16-05