

HTE# 07-50017839
07-50017840

Harnett County Department of Public Health

23950

Improvement Permit

A building permit cannot be issued with only an Improvement Permit

ISSUED TO: Timothy ZYLSTRA PROPERTY LOCATION: SR1111
 NEW REPAIR EXPANSION SUBDIVISION: Zylstra / Patterson LOT # A
 Type of Structure: MH-28x60 4BR Site Improvements required prior to Construction Authorization Issuance: SO.00AC
 Proposed Wastewater System Type: Pump to 25% Reducton system
 Projected Daily Flow: 480 GPD
 Number of bedrooms: 4 Number of Occupants: 8 max
 Basement Yes No
 Pump Required: Yes No May be required based on final location and elevations of facilities
 Type of Water Supply: Community Public Well Distance from well 50 feet Permit valid for: Five years
 Permit conditions: Meet onsite for final layout Do not remove my
Pink Flag when clearing maintain all set back
 No expiration

Authorized State Agent: [Signature] Date: 6-26-07 SEE ATTACHED SITE SKETCH
 The issuance of this permit by the Health Department in no way guarantees the issuance of other permits. The permit holder is responsible for checking with appropriate governing bodies in meeting their requirements. This site is subject to revocation if the site plan, plat, or the intended use changes. The Improvement Permit shall not be affected by a change in ownership of the site. This permit is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to conditions of this permit.

Construction Authorization

(Required for Building Permit)

The construction and installation requirements of Rules .1950, .1952, .1954, .1955, .1956, .1957, .1958, and .1959 are incorporated by references into this permit and shall be met. Systems shall be installed in accordance with the attached system layout.

ISSUED TO: Timothy ZYLSTRA PROPERTY LOCATION: 1111
 SUBDIVISION: Zylstra / Patterson LOT # A
 Facility Type: MH 28x60-4BR New Expansion Repair SO.00AC
 Basement? Yes No Basement Fixtures? Yes No
 Type of Wastewater System** Pump to 25% Red. Sys (Initial) Wastewater Flow: 480 GPD
 (See note below, if applicable) 670 LF ALP (Repair)

Installation Requirements/Conditions

Septic Tank Size 1200 gallons Exact length of each trench 410 feet Trench Spacing: 9 Feet on Center
 Pump Tank Size 1200 gallons Trenches shall be installed on contour at a Soil Cover: 6 inches
 Maximum Trench Depth of: 18 nat inches (Maximum soil cover shall not exceed 36" above the trench bottom)
 (Trench bottoms shall be level to +/-1/4" in all directions)
 Pump Requirements: _____ ft. TDH vs. _____ GPM _____ inches below pipe
 Aggregate Depth: _____ inches above pipe
 Conditions: _____ inches total

**If applicable: I understand the system type specified is different from the type specified on the application. I accept the specifications of this permit.
 Owner/Legal Representative Signature: _____ Date: _____

This Construction Authorization is subject to revocation if the site plan, plat, or the intended use changes. The Construction Authorization shall not be transferred when there is a change in ownership of the site. This Construction Authorization is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to the conditions of this permit.

Authorized State Agent: [Signature] Date: 6-26-07 SEE ATTACHED SITE SKETCH
 Construction Authorization Expiration Date: 6-26-2012

07-50017839

HTE# 07-50017839

Permit # 23950

Harnett County Department of Public Health Site Sketch

ISSUED TO: Timothy ZYLSTRA PROPERTY LOCATION: SR1111
 SUBDIVISION: Zylstra/Patterson LOT # A
 Authorized State Agent: J. Waters Date: 6-26-07
50.00 ac

Meet onsite
 for Final
 layout
 MAINTAIN All set Backs
 Install 1x410 of 25% Reduction system
 Within the Area of my Pink Flags
 Do not Remove my Pink Flags

