

SITE/S _____ EVALUATION FOR ON-SITE WASTEWATER

APPLICANT NAME _____


DATE _____

FACTORS		PROFILES									
		1	2	3	4	5	6	7	8	9	10
LANDSCAPE POSITION	.1940	L	L	L	L	L	L				
SLOPE (%)	.1940	5-7	5-7	5-7	5-7	5-7	5-7				
HORIZON 1 DEPTH		0-30	0-48	0-34	0-48	0-48	0-42				
Texture Group	.1941(A)(1)	LS	LS	LS	LS	L3	LS				
Consistence	.1941	VFR	VFR	VFR	VFR	VFR	VFR				
Structure	.1941(A)(2)	G	G	C	G	C	G				
Mineralogy	.1941(A)(3)	NS/NP	NS/NP	NS/NP	NS/NP	NS/NP	NS/NP				
HORIZON 2 DEPTH		30-48		32-40			42"				
Texture Group	.1941(A)(1)	SL		SL			> 50% PM				
Consistence	.1941	VFR		VFR							
Structure	.1941(A)(2)	G		C							
Mineralogy	.1941(A)(3)	NS/NP		NS/NP							
HORIZON 3 DEPTH				40"							
Texture Group	.1941(A)(1)			> 50% PM							
Consistence	.1941										
Structure	.1941(A)(2)										
Mineralogy	.1941(A)(3)										
HORIZON 4 DEPTH											
Texture Group	.1941(A)(1)										
Consistence	.1941										
Structure	.1941(A)(2)										
Mineralogy	.1941(A)(3)										
SOIL WETNESS	.1942										
RESTRICTIVE HORIZON	.1944										
SAPROLITE	.1943/1956										
CLASSIFICATION	.1948	S	S	PS	S	S	PS				
LONG TERM ACCEPTANCE RATE	.1955	.8	1.0	.8	1.0	1.0	1.0				

CONVENTIONAL SYS
 2' 75"
 24" DEEP
 3' WIDE
 9' O.C.
 RUN OF CONTOUR

HOUSE STAKED @ 28' x 115'
 HOUSE MUST BE PLACED @
 FOUR CORNERS FROM DRIVE
 TO MATCH PERMIT

~200'



- 170'
 170'