

# SITE/S EVALUATION FOR ON-S WASTEWATER

APPLICANT NAME \_\_\_\_\_

DATE \_\_\_\_\_

| FACTORS             |             | PROFILES |      |      |      |       |      |      |      |   |    |
|---------------------|-------------|----------|------|------|------|-------|------|------|------|---|----|
|                     |             | 1        | 2    | 3    | 4    | 5     | 6    | 7    | 8    | 9 | 10 |
| LANDSCAPE POSITION  | .1940       |          |      |      |      |       |      |      |      |   |    |
| SLOPE (%)           | .1940       |          |      |      |      |       |      |      |      |   |    |
| HORIZON 1 DEPTH     |             | C-6      | 0-8  | 0-9  | 0-3  | 0-2   | 0-5  | 0-6  | 0-4  |   |    |
| Texture Group       | .1941(A)(1) | SL       | SL   | SL   | C    | SL    | SL   | SL   | SL   |   |    |
| Consistence         | .1941       | VR       | VR   | VR   | F    | SG    | C    | C    | VR   |   |    |
| Structure           | .1941(A)(2) | G        | G    | G    | SBK  | WSP   | WSP  | WSP  | G    |   |    |
| Mineralogy          | .1941(A)(3) | WSP      | WSP  | WSP  | SBK  | 2-25  | 5-36 | 6-36 | WSP  |   |    |
| HORIZON 2 DEPTH     |             | 6-21     | 8-26 | 4-15 | 3+   | C     | C    | C    | 4-48 |   |    |
| Texture Group       | .1941(A)(1) | C        | C    | C    | Rock | Li    | Fr   | Fr   | C    |   |    |
| Consistence         | .1941       | Fr       | Fr   | Fr   |      | ABK   | ABK  | SBK  | Fr   |   |    |
| Structure           | .1941(A)(2) | SBK      | SBK  | SBK  |      | SBK   | SBK  | SBK  | SBK  |   |    |
| Mineralogy          | .1941(A)(3) | SBK      | SBK  | SBK  |      |       |      |      | SBK  |   |    |
| HORIZON 3 DEPTH     |             |          |      | 15+  |      |       |      |      |      |   |    |
| Texture Group       | .1941(A)(1) |          |      | Rock |      |       |      |      |      |   |    |
| Consistence         | .1941       |          |      |      |      |       |      |      |      |   |    |
| Structure           | .1941(A)(2) |          |      |      |      |       |      |      |      |   |    |
| Mineralogy          | .1941(A)(3) |          |      |      |      |       |      |      |      |   |    |
| HORIZON 4 DEPTH     |             |          |      |      |      |       |      |      |      |   |    |
| Texture Group       | .1941(A)(1) |          |      |      |      |       |      |      |      |   |    |
| Consistence         | .1941       |          |      |      |      |       |      |      |      |   |    |
| Structure           | .1941(A)(2) |          |      |      |      |       |      |      |      |   |    |
| Mineralogy          | .1941(A)(3) |          |      |      |      |       |      |      |      |   |    |
| SOIL WETNESS        | .1942       | 21"      | 27"  |      |      | 24"   |      |      |      |   |    |
| RESTRICTIVE HORIZON | .1944       |          |      |      |      |       |      |      |      |   |    |
| SAPROLITE           | .1943/.1956 |          |      |      |      |       |      |      |      |   |    |
| CLASSIFICATION      | .1948       | US       | US   |      |      | US/PS | PS   | PS   | PS   |   |    |
| LONG TERM           |             |          |      |      |      |       |      |      |      |   |    |
| ACCEPTANCE RATE     | .1955       | .4       | .4   |      |      | .3    | .4   | .4   | .4   |   |    |

Rd.

(2)

(1)

(5)

(3)

(8)

(7)

(6)

(4)

3155  
36-18



