HTE#05-5-13109RRRR

Harriett County Department of Public ...alth 23274

Improvement Permit

A building permit cannot be issued with only an Improvement Permit PROPERTY LOCATION: CREEKSVILLE CHURCH RD ISSUED TO: JS PROPERTIES SUBDIVISION JAYLIN DAKS EXPANSION Site Improvements required prior to Construction Authorization Issuance: Type of Structure: SFD (43'x79') Proposed Wastewater System Type: Pume To 25% REDUCTION SYSTEM Projected Daily Flow: 480 4 Number of Occupants: 8 Number of bedrooms: Basement Yes ☐ No Pump Required: XYes ☐ May be required based on final location and elevations of facilities Permit valid for: Five years Type of Water Supply:

Community Public Well Distance from well 100 feet ☐ No expiration Permit conditions: Authorized State Agent::

Date: 11 7 0C SEE ATTACHED SITE SKETCH

The issuance of this permit by the Health Department in no way guarantees the issuance of other permits. The permit holder is responsible for checking with appropriate governing bodies in meeting their requirements. This site is subject to revocation if the site plan, plat, or the intended use changes. The Improvement Permit shall not be affected by a change in ownership of the site. This permit is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to conditions of this permit. Construction Authorization (Required for Building Permit) The construction and installation requirements of Rules .1950, .1952, .1954, .1955, .1956, .1957, .1958 and .1959 are incorporated by references into this permit and shall be met. Systems shall be installed in accordance with the attached system layout. PROPERTY LOCATION: CREEKSVILLE CHURCH RO ISSUED TO: JS PROPERTIES SUBDIVISION JAYLIN OAKS LOT # Facility Type: SFO (43"×79") New 🗆 Expansion 🗆 Repair Basement? Yes No Basement Fixtures? Yes ☐ No Type of Wastewater System** PUMP TO 25% REDUCTION (Initial) Wastewater Flow: 480 GPD (See note below, if applicable) Pume To 25% REDUCTION SYSTEM (Repair) Installation Requirements/Conditions 5 TRENCHES Exact length of each trench ______ feet Septic Tank Size 1000 gallons Trenches shall be installed on contour at a SEE Pump Tank Size 1000 gallons Maximum Trench Depth of: 16-12 inches (Maximum soil cover shall not exceed (Trench bottoms shall be level to +/-1/4" 36" above the trench bottom) in all directions) Pump Requirements: ft. TDH vs. inches above pipe Conditions: Top 3 LINES 16 MAX BOTTOM 2 LINES 12" MAX 6" OF COVER NEEDED OVER DRAINFIELD I understand the system type specified is different from the type specified on the application. I accept the specifications of this permit. Owner/Legal Representative Signature: This Construction Authorization is subject to revocation if the site plan, plat, or the intended use changes. The Construction Authorization shall not be transferred when there is a change in ownership of the site. This Construction Authorization is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to the conditions of this permit. SEE ATTACHED SITE SKETCH Construction Authorization Expiration Date: 11706 Authorized State Agent:

Harnett County Department of Public Health Site Sketch

