

HTE# 06-50013943R

IMPROVEMENT PERMIT 22493

Be it ordained by the Harnett County Board of Health as follows: Section III, Item B. "No person shall begin construction of any building at which a septic tank system is to be used for disposal of sewage without first obtaining a written permit from the Harnett County Health Department."

Name: (owner) FRED CHISHOLM New Installation Septic Tank Repair
 Property Location: SR# 2037 HAMILTON RD Nitrification Line Expansion
 Subdivision IVA PEARL LEE Lot # 2
 Tax ID# _____ Quadrant # _____
 Number of Bedrooms Proposed: 3 (360 gpd) Lot Size: .93 AC

Basement with Plumbing: Garage:
 Water Supply: Well Public Community
 Distance From Well: 100 ft.

Following is the minimum specifications for sewage disposal system on above captioned property.
 Subject to final approval.

Type of system: Conventional Other _____

Size of tank: Septic Tank: 1000 gallons Pump Tank: _____ gallons

Subsurface Drainage Field No. of ditches 3 ft. exact length of each ditch 90 ft. width of ditches 3 ft. depth of ditches 24 in.

French Drain Required: _____ Linear feet

Date: 2/2/06
PERMIT EXPIRES 5 YEARS FROM ABOVE DATE


This permit is subject to revocation if site plans or intended use change.

Signed:  RS (OLIVER TOLKSBOER)
 Environmental Health Specialist

* MAINTAIN ALL SETBACKS
 * CALL WITH ANY QUESTIONS PRIOR TO INSTALLATION

* SET TANK BEHIND HOUSE. TANK LOCATION MOVED DUE TO REVISED HOUSE LOCATION

REVISED 4/25/06
 By OT



HARNETT COUNTY DEPARTMENT OF PUBLIC HEALTH
AUTHORIZATION TO CONSTRUCT

Authorization is hereby given to construct a wastewater system to the specifications described by Harnett County Department of Public Health, Improvement Permit # 22493. This authorization shall be valid for a period not to exceed five (5) years from the date of issuance. *This authorization will be invalid if ownership, site plans, or intended use change.*

FRED CARSMOLM Name 214-0548 Telephone #

127 HAMILTON RD BONNLEVEL NC 28323 Address

2037 Property Location SR# HAMILTON RD Road Name

LVA PEARL LEE Subdivision 2 Lot # 3(360 sqd) # Bedrooms Proposed .93ac Lot Size

TYPE OF SYSTEM

New Installation [] Repair Septic Tank Nitrification Lines

Conventional [] Other _____

[] Basement [] With Plumbing [] Without Plumbing

Water Supply: [] Well Public Water Supply Minimum Well Setback: 100 Ft.

Septic Tank 1000 gal Pump Chamber _____ gal

NITRIFICATION FIELD SPECIFICATIONS

Number of fields 1 # of lines per field 3 Length of lines 90 Ft.

Width of ditches 3 ft. Depth of ditches 24 inches

French Drain: Linear feet required _____ Depth of gravel _____

No wastewater system shall be covered or placed into use by any person until an inspection by the Harnett County Health Department has determined that the system has been installed according to the conditions of the Improvement Permit and that a valid Operations Permit has been issued.

[Signature]
Signature of Authorized Agent for Harnett County

2/2/06
Date