

Improvement Permit

A building permit cannot be issued with only an Improvement Permit

ISSUED TO: Shawn & Stacy McCracken
 NEW REPAIR EXPANSION
 Type of Structure: Mod-76x28 3BR
 Proposed Wastewater System Type: Pump to GRAVEL
 Projected Daily Flow: 360 GPD
 Number of bedrooms: 3 Number of Occupants: 6 max
 Basement Yes No

PROPERTY LOCATION: SR 1277 Thomas Kelly Rd
 SUBDIVISION _____ LOT # _____

Site Improvements required prior to Construction Authorization Issuance: 23.76 Ac Well Permit Required

Pump Required: Yes No May be required based on final location and elevations of facilities
 Type of Water Supply: Community Public Well Distance from well 100 feet Permit valid for: Five years No expiration
 Permit conditions: meet on site for final layout - maintain all setbacks
Well must be 100' from septic system - (Well Permit Required)
DO NOT DRIVE OR PARK ON ANY PART OF SEPTIC SYSTEM
 Authorized State Agent: Ju Warr Date: 01-13-09 SEE ATTACHED SITE SKETCH

The issuance of this permit by the Health Department in no way guarantees the issuance of other permits. The permit holder is responsible for checking with appropriate governing bodies in meeting their requirements. This site is subject to revocation if the site plan, plat, or the intended use changes. The Improvement Permit shall not be affected by a change in ownership of the site. This permit is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to conditions of this permit.

Construction Authorization

(Required for Building Permit)

The construction and installation requirements of Rules .1950, .1952, .1954, .1955, .1956, .1957, .1958, and .1959 are incorporated by references into this permit and shall be met. Systems shall be installed in accordance with the attached system layout.

ISSUED TO: Shawn & Stacy McCracken PROPERTY LOCATION: 1277 Thomas Kelly Rd
 SUBDIVISION _____ LOT # _____

Facility Type: Mod-76x28-3BR New Expansion Repair 23.76 Ac
 Basement? Yes No Basement Fixtures? Yes No
 Type of Wastewater System** Pump to GRAVEL (Initial) Wastewater Flow: _____ GPD
 (See note below, if applicable) Well Repair (Repair)

Installation Requirements/Conditions
 Septic Tank Size 1000 gallons
 Pump Tank Size 1000 gallons
 Number of trenches 1
 Exact length of each trench 500 feet
 Trenches shall be installed on contour at a
 Maximum Trench Depth of: 18 MAX inches
 (Trench bottoms shall be level to +/-1/4" in all directions)
 Pump Requirements: _____ ft. TDH vs. _____ GPM
 Conditions: _____
 Trench Spacing: 9 Feet on Center
 Soil Cover: 6 inches (Maximum soil cover shall not exceed 36" above the trench bottom)
 Aggregate Depth: 6 inches below pipe
2 inches above pipe
12 inches total

**If applicable: I understand the system type specified is different from the type specified on the application. I accept the specifications of this permit.

Owner/Legal Representative Signature: _____ Date: _____

This Construction Authorization is subject to revocation if the site plan, plat, or the intended use changes. The Construction Authorization shall not be transferred when there is a change in ownership of the site. This Construction Authorization is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to the conditions of this permit. SEE ATTACHED SITE SKETCH

Authorized State Agent: Ju Warr Date: 01-13-09
 Construction Authorization Expiration Date: 01-13-2014

HTE# 08 500 199172

Permit # 25223

Harnett County Department of Public Health Site Sketch

ISSUED TO: Shawn & Stacy McCracken SUBDIVISION 1277 Thomas Kelly Rd LOT # 23.76 ac

Authorized State Agent: Jim Larks Date: 01-17-09

