

Improvement Permit

A building permit cannot be issued with only an Improvement Permit

ISSUED TO: Palm Harbor Homes
PROPERTY LOCATION: 521552 Abattoir Rd
SUBDIVISION:
LOT # 3
Type of Structure: DW MHD
Proposed Wastewater System Type: 25% REDUCTION (ACCEPTED)
Projected Daily Flow: 480 GPD
Number of bedrooms: 4 Number of Occupants: 8 max
Basement: No
Pump Required: May be required based on final location and elevations of facilities
Type of Water Supply: Public
Permit valid for: Five years

Authorized State Agent: James E. Manhart
Date: 3-5-09
SEE ATTACHED SITE SKETCH
The issuance of this permit by the Health Department in no way guarantees the issuance of other permits.

Construction Authorization

(Required for Building Permit)

The construction and installation requirements of Rules .1950, .1952, .1954, .1955, .1956, .1957, .1958, and .1959 are incorporated by references into this permit and shall be met.

ISSUED TO: Palm Harbor Homes
PROPERTY LOCATION: 521552 Abattoir Rd
SUBDIVISION:
LOT # 3
Facility Type: DW MHD
Basement: No
Type of Wastewater System: 25% REDUCTION System (ACCEPTED)
Installation Requirements/Conditions:
Septic Tank Size: 1200 gallons
Pump Tank Size:
Number of trenches: 2
Exact length of each trench: 175 feet
Trench Spacing: 9 Feet on Center
Soil Cover: 6 inches
Maximum Trench Depth: 18" MAX
Aggregate Depth: 12 inches total

**If applicable: I understand the system type specified is different from the type specified on the application. I accept the specifications of this permit.

Owner/Legal Representative Signature:
Date:

This Construction Authorization is subject to revocation if the site plan, plat, or the intended use changes. The Construction Authorization shall not be transferred when there is a change in ownership of the site. This Construction Authorization is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to the conditions of this permit. SEE ATTACHED SITE SKETCH

Authorized State Agent: James E. Manhart
Date: 3-5-09 / 4/8/09
Construction Authorization Expiration Date: 3-5-14

HTE# 08-5-21176RR

Permit # 25125

Harnett County Department of Public Health Site Sketch

PROPERTY LOCATION: SR 1552 Abattoir RD

ISSUED TO: Palm Harbor Homes

SUBDIVISION

LOT # 3

Authorized State Agent:

James E. Manhart

Date:

3-5-09 / 4/8/09

* System WAS Flagged DURING LAYOUT. SHOULD INSTALL EXACTLY LIKE Permitted.

