HTE#<u>/4-5-333/9</u>

## Harnett County Department of Public Health

## Improvement Permit

A	building	permit	cannot	be	issued	with	only	an	Improvement	Permit

,	PROPERTY LOCATION: Kraner Rd
ISSUED TO: Molly Hayden	SUBDIVISION LOT # /
NEW 🗹 REPAIR 🗆 🖕 EXPANSION 🗆	Site Improvements required prior to Construction Authorization Issuance:
Type of Structure: Mod 41×72	
Proposed Wastewater System Type: 25%- Reduction System	<u>×</u>
Projected Daily Flow: <u>600</u> GPD *	
Number of bedrooms: <u>5</u> Number of Occupants: <u>10</u>	_max
Basement 🗆 Yes 🖬 No	
Pump Required: $\Box$ Yes $\Box$ Yo $\Box$ May be required based on final I	
Type of Water Supply: Community Public Well Distant Permit conditions:	nce from well <u>50</u> feet <u>in Permit valid</u> for: Five years No expiration
- A set	
Authorized State Agent .: My MSwain, REH	Date: 4/10/2014 SEE ATTACHED SITE SKETCH
	er permits. The permit holder is responsible for checking with appropriate governing bodies in meeting their requirements. This t Permit shall not be affected by a change in ownership of the site. This permit is subject to compliance with the provisions of
Constr	ruction Authorization
	quired for Building Permit)
•	, .1958. and .1959 are incorporated by references into this permit and shall be met. Systems shall be installed in accordance
ISSUED TO: Molly Hayden	PROPERTY LOCATION: <u>Kramer Rd</u> SUBDIVISION LOT # / LOT # /
	SUBDIVISION LOT # _/
Facility Type: Med 41x72 IN New	🗆 Expansion 🔲 Repair
Basement? L Yes L No Basement Fixtures? L Yes	🗆 No
Type of Wastewater System** _ 25% Keduction Sys	Then (Initial) Wastewater Flow: <u>600</u> GPD
(See note below, if applicable □)	Aca (Renair)
Installation Requirements/Conditions Number of trend	ches .5
	each trench <u>80</u> feet Trench Spacing: <u>9</u> Feet on Center
	e installed on contour at a Soil Cover: <u>12</u> inches
	b Depth of: $24$ inches (Maximum soil cover shall not exceed
	•
Υ Υ	shall be level to $+/-1/4$ " 36" above the trench bottom)
in all directions)	
Pump Requirements:ft. TDH vs GPM	inches below pipe
Conditions: Old Sept: tank to be pumped out	Aggregate Depth: inches above pipe inches total
WATER LINES (INCLUDING IRRIGATION) MUST BE 10FT. FROM A NO UTILITIES ALLOWED IN INITIAL OR REPAIR DRAIN FIELD ARE.	
**If applicable: I understand the system type specified is different from	the type specified on the application. I accept the specifications of this permit.
Owner/Legal Representative Signature:	changes. The Construction Authorization shall not be transferred when there is a change in ownership of the site. This
Inis construction Authorization is subject to revocation if the site plan, plat, or the intended use Construction Authorization is subject to compliance with the provisions of the Laws and Rules for	
construction Authorization is subject to compliance with the provisions of the Laws and Killes for	Servage requirement and pispusar and to the conditions of this permit. SEL ATTACHED STEL SAETCH
Authorized State Agents Sun Mensis REHC	Date: 4/10/25/4

Construction Authorization Expiration Date: 4/10/2019

