

HTE# 14-5-340682

Har t County Department of Public alth

27891

Improvement Permit

A building permit cannot be issued with only an Improvement Permit

ISSUED TO: North Carolina Custom Modular
PROPERTY LOCATION: SR 1554 JOHNSON RD
SUBDIVISION: STW LOT # 6
NEW [X] REPAIR [ ] EXPANSION [ ]
Type of Structure: MODULAR
Proposed Wastewater System Type: 25% REDUCED
Projected Daily Flow: 360 GPD
Number of bedrooms: 3 Number of Occupants: 6 max
Basement [ ] Yes [X] No
Pump Required: [ ] Yes [ ] No [X] May be required based on final location and elevations of facilities
Type of Water Supply: [ ] Community [X] Public [ ] Well Distance from well \_\_\_\_\_ feet
Permit valid for: [X] Five years [ ] No expiration

Authorized State Agent: James E. Marshall Date: 7-15-14 SEE ATTACHED SITE SKETCH
The issuance of this permit by the Health Department in no way guarantees the issuance of other permits. The permit holder is responsible for checking with appropriate governing bodies in meeting their requirements. This site is subject to revocation if the site plan, plat, or the intended use changes. The Improvement Permit shall not be affected by a change in ownership of the site. This permit is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to conditions of this permit.

Construction Authorization

(Required for Building Permit)

The construction and installation requirements of Rules .1950, .1952, .1954, .1955, .1956, .1957, .1958, and .1959 are incorporated by references into this permit and shall be met. Systems shall be installed in accordance with the attached system layout.

ISSUED TO: North Carolina Custom Modular PROPERTY LOCATION: SR 1554 JOHNSON RD
SUBDIVISION: STW LOT # 6
Facility Type: MODULAR [X] New [ ] Expansion [ ] Repair
Basement? [ ] Yes [X] No Basement Fixtures? [ ] Yes [X] No
Type of Wastewater System: 25% REDUCED System (Initial) Wastewater Flow: 360 GPD
(See note below, if applicable [ ]) Pump to 25% REDUCED (Repair)
Installation Requirements/Conditions
Septic Tank Size 1000 gallons Number of trenches 2 or 3
Exact length of each trench 120 or 80 feet Trench Spacing: 9 Feet on Center
Pump Tank Size \_\_\_\_\_ gallons Trenches shall be installed on contour at a
Maximum Trench Depth of: 26 to 18 inches Soil Cover: 6 inches
(Maximum soil cover shall not exceed 36" above the trench bottom)
Pump Requirements: \_\_\_\_\_ ft. TDH vs. \_\_\_\_\_ GPM
Aggregate Depth: 6 inches below pipe
2 inches above pipe
12 inches total

WATER LINES (INCLUDING IRRIGATION) MUST BE 10FT. FROM ANY PART OF SEPTIC SYSTEM OR REPAIR AREA.
NO UTILITIES ALLOWED IN INITIAL OR REPAIR DRAIN FIELD AREA.

\*\*If applicable: I understand the system type specified is different from the type specified on the application. I accept the specifications of this permit.

Owner/Legal Representative Signature: \_\_\_\_\_ Date: \_\_\_\_\_
This Construction Authorization is subject to revocation if the site plan, plat, or the intended use changes. The Construction Authorization shall not be transferred when there is a change in ownership of the site. This Construction Authorization is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to the conditions of this permit. SEE ATTACHED SITE SKETCH

Authorized State Agent: James E. Marshall Date: 7-15-14
Construction Authorization Expiration Date: 7-15-15

HTE# 14-5-3406812

Permit # 27891

# Harnett County Department of Public Health Site Sketch



PROPERTY LOCATOR: 321554 JOHNSON RD

ISSUED TO: NORTH CRUISE 14 CUSH MIDDLE SUBDIVISION SEW LOT # 6

Authorized State Agent: James E. Markham Date: 7-15-14

\* System CAN HAVE  
MULTIPLE LAYOUTS  
which owner prefers.

# NO WATER OR POWER  
IN DRAINAGE  
OR REPAIR  
AREAS



P-p to  
25' to  
Road

Crystal Brook