

HTE# 18-5-43923

Harnett County Department of Public Health

30058

Improvement Permit

A building permit cannot be issued with only an Improvement Permit

ISSUED TO: No Durane Currin
NEW [X] REPAIR [] EXPANSION []
Type of Structure: 302 44' x 30' SFD
Proposed Wastewater System Type: 25% Reduction Sys.
Projected Daily Flow: 360 GPD
Number of bedrooms: 3 Number of Occupants: 6 max
Basement [] Yes [X] No
Pump Required: [] Yes [] No [X] May be required based on final location and elevations of facilities
Type of Water Supply: [] Community [X] Public [] Well
Permit conditions:

PROPERTY LOCATION: 447 Deanne Ln. (Bailey's X Rd.)
SUBDIVISION: Quail Hollow LOT # 1
Site Improvements required prior to Construction Authorization Issuance:

Authorized State Agent: [Signature] Date: 05/16/2018 SEE ATTACHED SITE SKETCH
The issuance of this permit by the Health Department in no way guarantees the issuance of other permits. The permit holder is responsible for checking with appropriate governing bodies in meeting their requirements. This site is subject to revocation if the site plan, plat, or the intended use changes. The Improvement Permit shall not be affected by a change in ownership of the site. This permit is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to conditions of this permit.

Construction Authorization

(Required for Building Permit)

The construction and installation requirements of Rules .1950, .1952, .1954, .1955, .1956, .1957, .1958, and .1959 are incorporated by references into this permit and shall be met. Systems shall be installed in accordance with the attached system layout.

ISSUED TO: N. Durane Currin PROPERTY LOCATION: 447 Deanne Ln. (Bailey's X Rd.)
SUBDIVISION: Quail Hollow LOT # 1
Facility Type: 302 44' x 30' SFD [X] New [] Expansion [] Repair
Basement? [] Yes [X] No Basement Fixtures? [] Yes [] No
Type of Wastewater System: 25% Reduction system (Initial) Wastewater Flow: 360 GPD
(See note below, if applicable [])

Installation Requirements/Conditions

Number of trenches: 4
Septic Tank Size: 1000 gallons Exact length of each trench: 60 feet Trench Spacing: 9 Feet on Center
Pump Tank Size: _____ gallons Trenches shall be installed on contour at a Soil Cover: 12 inches
Maximum Trench Depth of: 24 inches (Maximum soil cover shall not exceed 36" above the trench bottom)
Pump Requirements: _____ ft. TDH vs. _____ GPM
Aggregate Depth: NA inches below pipe, NA inches above pipe, NA inches total
Conditions: ON CONTOUR D-BOX EQUAL DISTRIBUTION
THREE (3) 80 FT LINES PERMISSIBLE

WATER LINES (INCLUDING IRRIGATION) MUST BE 10FT. FROM ANY PART OF SEPTIC SYSTEM OR REPAIR AREA. NO UTILITIES ALLOWED IN INITIAL OR REPAIR DRAIN FIELD AREA.

**If applicable: I understand the system type specified is different from the type specified on the application. I accept the specifications of this permit.
Owner/Legal Representative Signature: _____ Date: _____

This Construction Authorization is subject to revocation if the site plan, plat, or the intended use changes. The Construction Authorization shall not be transferred when there is a change in ownership of the site. This Construction Authorization is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to the conditions of this permit. SEE ATTACHED SITE SKETCH

Authorized State Agent: [Signature] Date: 05/16/2018
ANDREW CURRIN Construction Authorization Expiration Date: 05/16/2023

HTE# 18-5-43923

Permit # 30058

Harnett County Department of Public Health Site Sketch

SL 1581

ISSUED TO: No. DURANE CURRIN SUBDIVISION 447 Deanne Ln. (BAKES CROSS RD.) LOT #

Authorized State Agent: Andrew Curran Date: 05/16/2018



