
29856

HTE# 17-5-4293512 Harnett County Department of Public Health

Improvement Permit

A	building permit cannot be issued with only an Impr	rovement Permit
ISSUED TO: Jorge G. Hernand	ez subdivision	Edna John Ct. (Suggs Rd. 521725
NEW ☐ REPAIR ☐ EXPANSIO		ments required prior to Construction Authorization Issuance:
Type of Structure: 432 SWMH 70'x	281	nents required prior to construction Authorization issuance.
Proposed Wastewater System Type: 25% nedoc		
Projected Daily Flow: 480 GPD	-/-	
Number of bedrooms: 4 Number of Occup	unts: 8 max	
Basement Yes No		
	ed based on final location and elevations of facilities	es
Type of Water Supply: Community Public Permit conditions:		
Authorized State Assatu	11/2014- 21 21/2	(
Authorized State Agent:: The issuance of this permit by the Health Department in no way guaran site is subject to revocation if the site plan, plat, or the intended use of the Laws and Rules for Sewage Treatment and Disposal and to condition	ees the issuance of other permits. The permit holder is responsib anges. The Improvement Permit shall not be affected by a chang	SEE ATTACHED SITE SKETCH ble for checking with appropriate governing bodies in meeting their requirements. This ge in ownership of the site. This permit is subject to compliance with the provisions of
	Construction Authorization	nn
	2010 1000 1000 1000 1000 1000	<u> </u>
The construction and installation requirements of Rules .1950, .1952, .19 with the attached system layout.	(Required for Building Permit) 14, 1955, 1956, 1957, 1958. and 1959 are incorporated by 1	references into this permit and shall be met. Systems shall be installed in accordance
ISSUED TO: Jorge G. Hernand	PROPERTY LOCATION: _	219 Edna John Ct. (Suggs Rd. SA 172:
Facility Type: 432 DWMH 70'x28		Repair LOT #
Basement? Yes No Basement Fixt	•	перап
		1 480 000
Type of Wastewater System** At-Gran	e 2010 Reduction 3750	tem (Initial) Wastewater Flow: 480 GPD
(See note below, if applicable □)		lain Lower
	ction system (Repair)	End Trench
Installation Requirements/Conditions	Number of trenches	0
Septic Tank Size 1000 gallons		feet Trench Spacing: Feet on Center
Pump Tank Size gallons	Trenches shall be installed on contour at a	Soil Cover: C inches (IMPORT)
	Maximum Trench Depth of: /2	inches (Maximum soil cover shall not exceed
	(Trench bottoms shall be level to +/-1/4"	36" above the trench bottom)
	in all directions)	<u> </u>
Pump Requirements:ft. TDH vs	GPM	inches below pipe
		Aggregate Depth: inches above pipe
Conditions: Gin Imported C	over Required	inches total
WATER LINES /INCLUDING IRRIGATION) MUST R	THE FROM ANY DART OF CERTIC CYCLE	M OD DEDAID ADEA
WATER LINES (INCLUDING IRRIGATION) MUST B NO UTILITIES ALLOWED IN INITIAL OR REPAIR D		M UK KEPAIK AKEA.
**If applicable: I understand the system type specified	is different from the type specified on the app	lication. I accept the specifications of this permit.
Owner/Legal Representative Signature:		Date:
	170	shall not be transferred when there is a change in ownership of the site. This
Construction Authorization is subject to compliance with the provisions of	he Laws and Rules for Sewage Treatment and Disposal and to t	the conditions of this permit. SEE ATTACHED SITE SKETCH
Authorized State Agent:	and I was	Date: 01/2//2006
•		Date: 01 26 / 2018
ANDREW WAR	Construction Authorization Expira	ation vate. Of ac / aca)

Harnett County Department of Public Health Site Sketch



Department of Environment, Health and Natural Resources Division of Environmental Health On-Site Wastewater Section Sheet: Property ID: Lot #: File #: Code:

SOIL/SITE EVALUATION for ON-SITE WASTEWATER SYSTEM

Owner: Applicant:	Jury Hernandez Date Evaluated: 6	11241/8		
Address: 219 Edna John Cl	Date Evaluated: United: Design Flow (.1949)	W. 490685	Property Size:	17 211
Proposed Facility: 432 Dwg	Design Flow (.1949	613	Property Size.	17.0140
Location of Site: Water Supply:	Property Recorded: Public Individual	Well	Spring	Other
Evaluation Method: Auger B		☐ Cut	_ opinig	outer
		strial Process	☐ Mixed	

P R O F	.1940		SOIL MORPHOLOGY OTHER .1941 PROFILE FACTORS						
L E #	Landscape Position/ Slope %	Horizon Depth (ln.)	.1941 Structure/ Texture	.1941 Consistence Mineralogy	.1942 Soil Wetness/ Color	.1943 Soil Depth (IN.)	.1956 Sapro Class	.1944 Restr Horiz	Profile Class & LTAR
1,2			CZ 54						Ules
		8-X	BK C	F1 3 8 3/5p	7.5YR71.@20	26			0.3
3	L 3-6%	0-8	CR SL	Fa Still Harg					UPS
		8-26	BK C	F1 3 0 26mp	7.5827, @ 24"	a6			6.3
4,5	L 3-6%	6-10	64 SL	FA 5550 860					UPS
		10-28	ox c		7.54/7, e ac"	38	4 500		0.3
				2.0					

Description	Initial	Repair System	
	System		S
Available Space (.1945)			
System Type(s)	25% red	25% red	
Site LTAR	0.3	6.3]

Other Factors (.1946):
Site Classification (.1948): Unsuitable provisionally soitable
Evaluated By:
Others Present:

Andrew Currin, nexts