

HTE# 07-5-17282R

Harnett County Department of Public Health

24080

Improvement Permit

A building permit cannot be issued with only an Improvement Permit

PROPERTY LOCATION: RAYNOR McLAMB Rd

ISSUED TO: DENISE ADOMINES

SUBDIVISION _____ LOT # _____

NEW REPAIR EXPANSION

Site Improvements required prior to Construction Authorization Issuance: _____

Type of Structure: 84'x22' BARN

Proposed Wastewater System Type: CONVENTIONAL

Projected Daily Flow: 100 GPD

Number of bedrooms: _____ Number of Occupants: _____ max


Basement Yes No

Pump Required: Yes No May be required based on final location and elevations of facilities

Type of Water Supply: Community Public Well Distance from well _____ feet

Permit valid for: Five years No expiration

Permit conditions: _____

Authorized State Agent: 

Date: 7/25/07

SEE ATTACHED SITE SKETCH

The issuance of this permit by the Health Department in no way guarantees the issuance of other permits. The permit holder is responsible for checking with appropriate governing bodies in meeting their requirements. This site is subject to revocation if the site plan, plat, or the intended use changes. The Improvement Permit shall not be affected by a change in ownership of the site. This permit is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to conditions of this permit.

Construction Authorization

(Required for Building Permit)

The construction and installation requirements of Rules .1950, .1952, .1954, .1955, .1956, .1957, .1958, and .1959 are incorporated by references into this permit and shall be met. Systems shall be installed in accordance with the attached system layout.

ISSUED TO: DENISE ADOMINES

PROPERTY LOCATION: RAYNOR McLAMB Rd

SUBDIVISION _____ LOT # _____

Facility Type: 84'x22' BARN New Expansion Repair

Basement? Yes No Basement Fixtures? Yes No

Type of Wastewater System** CONVENTIONAL (Initial) Wastewater Flow: 100 GPD

(See note below, if applicable CONVENTIONAL (Repair))

Installation Requirements/Conditions

2 TRENCHES

Septic Tank Size 1000 gallons

Exact length of each trench 40 feet

Trench Spacing: 9 Feet on Center

Pump Tank Size _____ gallons

Trenches shall be installed on contour at a

Soil Cover: 6-12 inches

Maximum Trench Depth of: 18-24 inches

(Maximum soil cover shall not exceed

(Trench bottoms shall be level to +/-1/4"

36" above the trench bottom)

in all directions)

Pump Requirements: _____ ft. TDH vs. _____ GPM

Aggregate Depth: 6 inches below pipe

2 inches above pipe

Conditions: _____

12 inches total

**If applicable: *I understand the system type specified is different from the type specified on the application. I accept the specifications of this permit.*

Owner/Legal Representative Signature: _____ Date: _____

This Construction Authorization is subject to revocation if the site plan, plat, or the intended use changes. The Construction Authorization shall not be transferred when there is a change in ownership of the site. This Construction Authorization is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to the conditions of this permit.

SEE ATTACHED SITE SKETCH

Authorized State Agent: 

Date: 7/25/07

Construction Authorization Expiration Date: 7/25/12

HTE# 07-5-17278RB

Permit # 24080

Harnett County Department of Public Health Site Sketch

ISSUED TO: DENISE ADOMING PROPERTY LOCATOR: RAYNOR McLAMB RD
SUBDIVISION _____ LOT # _____

Authorized State Agent: ~~_____~~ AS (OLIVER TOLKSDORF) Date: 7/25/07

53 ACRES

