

Applicant:

Date Evaluated:

Property Size:

Design Flow (.1949):

Property Recorded:

Water Supply:	☐ Public	☐ Individual	☐ Well	☐ Spring	☐ Other
Valuation Method:	☐ Auger Boring		☐ Pit	☐ Cut	
Type of Wastewater:	☐ Sewage		☐ Industrial Process	☐ Mixed	

Description	Initial System	Repair System
AvailableSpace (.1945)		
System Type(s)		
Site LTAR		

Other Factors (.1946): _____

Site Classification (.1948):

Evaluated By:

Others Present:

COMMENTS:

LANDSCAPE POSITIONS

R-RIDGE
S-SHOULDER SLOPE
L-LINEAR SLOPE
FS-FOOT SLOPE
N-NOSE SLOPE
H-HEAD SLOPE
CC-CONCLAVE SLOPE
CV-CONVEX SLOPE
T-TERRACE
FP-FLOOD PLAN

GROUP

I

II

III

IV

TEXTURES

S-SAND
LS-LOAMY SAND

SL-SANDY LOAM
L-LOAM

SI-SILT-
SIL-SILT LOAM
CL-CLAY LOAM
SCL-SANDY CLAY LOAM
SICL-SILTY CLAY LOAM

SIC-SILTY CLAY
C-CLAY
SC-SANDY CLAY

.1955 LTAR

1.2 - 0.8

0.8 - 0.6

0.6 - 0.3

0.4 - 0.1

CONSISTENCE MOIST

VFR-VERY FRIABLE
FR-FRIABLE
FI-FIRM
VFI-VERY FIRM
EFI-EXTREMELY FIRM

WET

NS-NON-STICKY
SS-SLIGHTLY STICKY
S-STICKY
VS-VERY STICKY
NP-NON-PLASTIC
SP-SLIGHTLY STICKY
P-PLASTIC
VP-VERY PLASTIC

STRUCTURE


SG-SINGLE GRAIN
M-MASSIVE
CR-CRUMB
GR-GRANULAR
SBK-SUBANGULAR BLOCKY
ABK-ANGULAR BLOCKY
PL-PLATY
PR-PRISMATIC

MINERALOGY

SLIGHTLY EXPANSIVE

EXPANSIVE

Show profile locations and other site features (dimensions, reference or benchmark, and North).



Scale: 1" = 400 ft

[illegible]

DISTRICT RA30 USE SFD

7.8.22

ZONING ADMINISTRATION

3 Big^s Trees that Custom does not want to lose.

