

Applicant:

Property Size:

[] Spring

☐ Other

[] Cut

[1 Mixed

Address:

Proposed Facility:

Design Flow (.1949):

Location of Site:

Water Supply: ☐ Public ☐ Individual

☒ Well

Evaluation Method: ☒ Auger Boring

[1 Pit

Type of Wastewater: ☒ Sewage

[1] Industrial Process

Description	Initial System	Repair System
Available Space (.1945)	✓	✓
System Type(s)	CON	CON
Site LTAR	G	G

Site Classification (.1948): F5

Evaluated By: CK

Others Present: Bm

4x50' @ 14
EDVA - R-1112


COMMENTS: _____

LANDSCAPE POSITIONS	GROUP	TEXTURES	.1955 LTAR	CONSISTENCE MOIST	WET
R-RIDGE	I	S-SAND	1.2 - 0.8	VFR-VERY FRIABLE	NS-NON-STICKY
S-SHOULDER SLOPE		LS-LOAMY SAND			
L-LINEAR SLOPE	II	SL-SANDY LOAM	0.8 - 0.6	FR-FRIABLE	SS-SLIGHTLY STICKY
FS-FOOT SLOPE		L-LOAM		FI-FIRM	S-STICKY
N-NOSE SLOPE	III	SI-SILT-	0.6 - 0.3	VFI-VERY FIRM	VS-VERY STICKY
H-HEAD SLOPE		SIL-SILT LOAM		EFI-EXTREMELY FIRM	NP-NON-PLASTIC
CC-CONCLAVE SLOPE		CL-CLAY LOAM			SP-SLIGHTLY STICKY
CV-CONVEX SLOPE		SCL-SANDY CLAY LOAM			P-PLASTIC
T-TERRACE		SICL-SILTY CLAY LOAM			VP-VERY PLASTIC
FP-FLOOD PLAN	IV	SIC-SILTY CLAY	0.4 - 0.1		
		C-CLAY			
		SC-SANDY CLAY			

STRUCTURE
 SG-SINGLE GRAIN
 M-MASSIVE
 CR-CRUMB
 GR-GRANULAR
 SBK-SUBANGULAR BLOCKY
 ABK-ANGULAR BLOCKY
 PL-PLATY
 PR-PRISMATIC

MINERALOGY
 SLIGHTLY EXPANSIVE
 EXPANSIVE

Show profile locations and other site features (dimensions, reference or benchmark, and North).



N 88°01'33"E 158.81'

N 01°06'04"W 252.49'

N 87°48'35"E
162.89'

946

712.4'

S 03°54'17"E 1398.06'

SITE PLAN APPROVAL

DISTRICT BALACH USE STD

#BEDROOMS

ZONGJING ADMINISTRATOR

HUDSON

DB 1172, PG 497

N 02°36'07"W 1129.09

PROPOSED HOUSE
LOCATION

10.01 AC.

599.

N 89°34'01"W 360.58'

Case No. 2007-1523

[illegible]

SURVEY F
PROPOSED PL
DEBORAH
ANDERSON CREEK