	te Wastewate		ealth		Property ID: Lot #:					
					File #:					
				VALUATION EWATER SYSTEM	Code:					
	Owner:			0	Applicant:					
	Address:					Date E	Evaluated:			
- 17	osed Facility:			Design Flow (.1949):			erty Size:			
	tion of Site: r Supply:		[ ] Dublic	F. T. La Production	******		Recorded:			
	ation Method		[ ] Public [ ] Auger Boring	[] Individual	[] Well [] Pit		] Spring		[]Other	
	of Wastewat		[ ] Sewage		[ ] Industrial Process		] Cut ] Mixed			
2										
			SOIL	ORPHOLOGY 1941		THER E FACTOR	0			
	1940		THE REAL PROPERTY.	<b>等分别选择通</b>	1942					
= #   #	Landscape Position/ Slope%	Horizon Depth (IN.)	.1941 Structure/ Texture	.1941 Consistence Mineralogy	Soil Wetness/ Color	Soil Depth (IN.)	.1956 Sapro Class	.1944 Restr Horiz	Profile Class & LTAR	
		0-8	SL	FR OR NEWS			o idos	Zana i iOne	C C C C C C C C C C C C C C C C C C C	
1	6	8.30	CIAY	FRM ABL -SP	24 07 603				.25	
	er er								7 4 4 4	
									7 64 753	
-										
								1	1	
		i la		-				2.0		
2	,	0-12	SL	The GULDSNP						
6		12-42	CIMY .	Schenson 551	36			-	-3	
				Atre						
		0-10	si	en on NONP					1	
3	2	10-36	x, e, ay 8	UPL SPL 3 P	24				25	
	r.			Bock						
								1		
	3									
	7-5			EXT I WE T						
-	1				7				1	
-	Descript		Initial System	Repair System	Other Factors (.1946)	):				_
	ailable Space	(.1945)	-		Site Classification (.1948)	):				
	stem Type(s)		1	1	Evaluated By	<b>/</b> :				
Site	e LTAR		?	7	Others Present	t:				

Sheet:

lepartment of Environment, Health, and Natural Resources

FILE	#					
------	---	--	--	--	--	--

COMMENTS:	*

LANDSCAPE POSITIONS	GROUP	TEXTURES	1055 I TAD	CONGRESSION	
	OKOUL	TEATURES	.1955 LTAR	CONSISTENCE MOIST	WET
R-RIDGE	I	S-SAND	1.2 - 0.8		
S-SHOULDER SLOPE		LS-LOAMY SAND		VFR-VERY FRIABLE	NS-NON-STICKY
L-LINEAR SLOPE				FR-FRIABLE	SS-SLIGHTLY STICKY
FS-FOOT SLOPE N-NOSE SLOPE	II	SL-SANDY LOAM	0.8 - 0.6	FI-FIRM	S-STICKY
H-HEAD SLOPE		L-LOAM		VFI-VERY FIRM	VS-VERY STICKY
CC-CONCLAVE SLOPE	III	SI-SILT-	0.6 - 0.3	EFI-EXTREMELY FIRM	THE THOUT A DIRECTION
CV-CONVEX SLOPE		SIL-SILT LOAM	0.0		SP-SLIGHTLY STICKY P-PLASTIC
T-TERRACE		CL-CLAY LOAM			VP-VERY PLASTIC
FP-FLOOD PLAN		SCL-SANDY CLAY LOAM			, a vert reasite
		SICL-SILTY CLAY LOAM			

0.4 - 0.1

STRUCTURE
SG-SINGLE GRAIN
M-MASSIVE
CR-CRUMB
GR-GRANULAR
SBK-SUBANGULAR BLOCKY
ABK-ANGULAR BLOCKY
PL-PLATY
PR-PRISMATIC

. . . . . .

. (#

MINERALOGY SLIGHTLY EXPANSIVE

SIC-SILTY CLAY

SC-SANDY CLAY


C-CLAY

EXPANSIVE

IV

1		-	1		1	1	- 1	1	1	-	1	-	e feat	1		1	1				T	1		T	. 1			T		_
+		-+	+		$\rightarrow$	-	-	-	-								_			_	_		_							
			1	İ		1	1		į				-		-	1		i	1	ĺ		1						-		
-			T	1		1	1		1	1			$\neg$		-	-	-	-	+	-	-	-	-	-			-+	-		_
-	$\dashv$		-		-	_															ł		1		1	1	1	1	1	
	1	1	-			1	1		- 1	- 1				-				-	1					1			-	$\neg \uparrow$	7	_
十	$\neg \uparrow$	1	十	-	-+	-	-1			-						-								-	-	_				
1																			-	-			- 1	į	1				1	
1	1	1		1			-	1						- 1						1	1	1	-		-		-	-	-	-
+		-+																												
			i				-													1	1		1	-				1	-	
T						1										-			-	-										-
-																						- 1		-	1				į	
1	1	1	1																. 4											Ė
1			-		-							-																		-
1									ĺ						Ì			į		į		. ]	1							
1	1	1										1										-								-
				~					-			<u> </u>	1	-	-		<u> </u>												-	-
	1			1								-																		T
7	1								1	1	-	-	1-	-	1	-	-	-	-						-		-		-	1
													1		-	1	1	-		-		-								
															1		1		1						-	1				+
-			-					-	-	-	-		-	-	-	-	1_	-	_							L				-
	1						1								1											-				T
			*****		1		1	1	1-	1-	1	<del> </del>	+	1	-	+	+-	-	+	-		ļ			ļ	-	ļ			1
			FT 84,700 14F14		1		-							and the same	1	-	1	-									and the second			1
1														T	T	1	T	1			-					1	1-	-		+
				in the property thanks	ļ			ļ	ļ	ļ	4	ļ	-	-	-	1_	1	ļ	1	1										-
		1						1			-		-			1	1									1			-	T
			\$1000 E		1		+	1	-	-	-	+	+	+	+-		- <del> </del>	-							-	ļ	-			1

## Michael Anderson Homes, Inc. ot 60 Victoria Hills



Scale - 1"=100

SITE PLAN APPROVAL DISTRICT\_130 USE SFI #BEDROOMS