

IMPROVEMENT PERMIT

21373

HTE 04-5-10499

Be it ordained by the Harnett County Board of Health as follows: Section III, Item B. "No Person shall begin construction of any building at which a septic tank system is to be used for disposal of sewage without first obtaining a written permit from the Harnett County Health Department."

Name: (owner) LAIZY FRANCES
Property Location: SR# 1407 WADE STEPHANSON
New Installation, Septic Tank, Repairs, Nitrification Line

Subdivision FIELDSTONE DREAM Lot # 18

Tax ID # Quadrant #

Number of Bedrooms Proposed: 3 Lot Size: 5.243 Acre

Basement with Plumbing: Garage:
Water Supply: Well, Public, Community
Distance From Well: 50' ft.

Following is the minimum specifications for sewage disposal system on above captioned property. Subject to final approval.

Type of system: Conventional, Other

Size of tank: Septic Tank: 1000 gallons Pump Tank: gallons


Subsurface Drainage Field No. of ditches 2 exact length of each ditch 200 ft. width of ditches 3 ft. depth of ditches 14-16 in.

French Drain Required: Linear feet

Date: 11-4-04

This permit is subject to revocation if site plans or intended use change.

Signed: James E. Markham Environmental Health Specialist



04-5-10499

HARNETT COUNTY DEPARTMENT OF PUBLIC HEALTH AUTORIZATION TO CONSTRUCT

Authorization is hereby given to construct a wastewater system to the specifications described by Harnett County Department of Public Health, Improvement Permit # 21373. This authorization shall be valid for a period not to exceed five (5) years from the date of issuance. *This authorization will be invalid if ownership, site plans, or intended use change.*

LARRY FRANCIS Name 919-552-8007 Telephone #

P.O. BOX 305 Address F.V. N.C. 27526

1407 Property Location SR# WADE STEPHENSON Road Name

Fieldstone Subdivision 18 Lot # 3 # Bedrooms Proposed 5 Acres Lot Size

TYPE OF SYSTEM

New Installation Repair Septic Tank Nitrification Lines

Conventional Other _____

Basement With Plumbing Without Plumbing

Water Supply: Well Public Water Supply Minimum Well Setback: _____ Ft.

Septic Tank 1000 gal Pump Chamber _____ gal

NITRIFICATION FIELD SPECIFICATIONS

Number of fields 2 # of lines per field 2 Length of lines 200 Ft.

Width of ditches 3 ft. Depth of ditches 14-16 max inches

French Drain: Linear feet required _____ Depth of gravel _____

No wastewater system shall be covered or placed into use by any person until an inspection by the Harnett County Health Department has determined that the system has been installed according to the conditions of the Improvement Permit and that a valid Operations Permit has been issued.

James E. Markham Signature of Authorized Agent for Harnett County

11-4-04 Date