

**SOIL/SITE EVALUATION
 for ON-SITE WASTEWATER SYSTEM**

Owner:
 Address:
 Proposed Facility: **3 Bedroom House Design Flow (.1949): 360 gpd**
 Location of Site:
 Water Supply: Public Individual Well
 Evaluation Method: Auger Boring Pit
 Type of Wastewater: Sewage Industrial Process

Applicant:
 Date Evaluated:
 Property Size:
 Property Recorded:
 Spring Other
 Pit Cut
 Mixed

Profile #	.1940 Landscape Position/Slope%	Horizon Depth (IN.)	SOIL MORPHOLOGY .1941		OTHER PROFILE FACTORS				Profile Class & LTAR
			.1941 Structure/Texture	.1941 Consistence Mineralogy	.1942 Soil Wetness/Color	.1943 Soil Depth (IN.)	.1956 Sapro Class	.1944 Restr Horiz	
		0-12"	G LS	SBK VFR NS/NP					PS .3
		12-30"	SBK SCL/C	FR S/SP	CR2 @ 30"				
		0-10"	G LS	VFR NS/NP					PS .3
		10-34"	SBK C	FR S/P	CR2 @ 30"				
		0-24"	C LS	VFR NS/NP					PS .4
		24-36"	SBK SCL	FR S/SP					
		0-10"	C LS	VFR NS/NP					PS .3
		10-30"	SBK C	FR S/P	CR2 @ 30"				
		0-22"	G LS	VFR NS/NP					PS .35
		22-36"	SBK SCL	FR S/SP					
		0-18"	G LS	VFR NS/NP					PS .35
		18-36"	SBK SCL	FR S/SP					

Description	Initial System	Repair System
Available Space (.1945)	✓	✓
System Type(s)	Innov.	LPR
Site LTAR	.3	.3

Other Factors (.1946): _____
 Site Classification (.1948): **PS**
 Evaluated By: **OS**
 Others Present: _____

4x75' @ FB


COMMENTS: _____


<u>LANDSCAPE POSITIONS</u>	<u>GROUP</u>	<u>TEXTURES</u>	<u>.1955 LTAR</u>	<u>CONSISTENCE MOIST</u>	<u>WET</u>
R-RIDGE S-SHOULDER SLOPE L-LINEAR SLOPE	I	S-SAND LS-LOAMY SAND	1.2 - 0.8	VFR-VERY FRIABLE FR-FRIABLE	NS-NON-STICKY SS-SLIGHTLY STICKY
FS-FOOT SLOPE N-NOSE SLOPE H-HEAD SLOPE	II	SL-SANDY LOAM L-LOAM	0.8 - 0.6	FI-FIRM VFI-VERY FIRM	S-STICKY VS-VERY STICKY
CC-CONCLAVE SLOPE CV-CONVEX SLOPE T-TERRACE FP-FLOOD PLAN	III	SI-SILT- SIL-SILT LOAM CL-CLAY LOAM SCL-SANDY CLAY LOAM SICL-SILTY CLAY LOAM	0.6 - 0.3	EFI-EXTREMELY FIRM	NP-NON-PLASTIC SP-SLIGHTLY STICKY P-PLASTIC VP-VERY PLASTIC
	IV	SIC-SILTY CLAY C-CLAY SC-SANDY CLAY	0.4 - 0.1		

STRUCTURE
 SG-SINGLE GRAIN
 M-MASSIVE
 CR-CRUMB
 GR-GRANULAR
 SBK-SUBANGULAR BLOCKY
 ABK-ANGULAR BLOCKY
 PL-PLATY
 PR-PRISMATIC

MINERALOGY
 SLIGHTLY EXPANSIVE
 EXPANSIVE

Show profile locations and other site features (dimensions, reference or benchmark, and North).






VICINITY MAP - N.T.S.

WESTERFIELD FARM
PHASE I
MAP 2004-928


MAP 2004-928
DATE 2004



SITE PLAN APPROVAL
DISTRICT R200m USE SFD
#BEDROOMS 3
11/18/04 PJR
Date Zoning Administrator

PLOT PLAN 11-09-04
OWNER: SHOWCASE CONSTRUCTION CO.

SUBMISSION: WESTERFIELD FARMS PHASE I MAP 2004-928 DEED BOOK _____ PAGE _____
LOT 26
PIN _____
SPRING LAKE HARNETT COUNTY NORTH CAROLINA
TOWNSHIP ANDERSON CREEK



Preliminary Plat
not for recordation,
conveyances, or sales

CONTRACTORS RESPONSIBILITY
TO COMPLY WITH ZONING AND
RESTRICTIVE COVENANTS.

- LEGEND:
- A = ACTUAL
 - AC = ACME - (By coordinate computation)
 - CH = CHORD
 - E = CENTERLINE
 - CONC = CONCRETE
 - CP = CURVED POINT
 - DB PB = DEED BOOK AND PAGE
 - E = EAST
 - ELEV = ELEVATION
 - ELB = ELEVATION LIGHTWOOD STAKE
 - ENR = ELEVATION RAILROAD SPIKE
 - ENR = ELEVATION NAIL
 - EPH = ELEVATION "PH" NAIL
 - ENR = ELEVATION
 - CLF = CHAIN LINK FENCE
 - FB = FIELD MEASUREMENT
 - BAR = BAR
 - INT = INTERSECTION
 - L = LENGTH OF CURVE
 - H = NORTH
 - HTS = NOT TO SCALE
 - HTS = OVERHEAD ELECTRIC LINE
 - ONE = ONE
 - PLAT = PLAT
 - PLB = PLAT BOOK & PAGE
 - PLB = PLAT
 - R/W = RIGHT OF WAY
 - S = SOUTH
 - SEC = SECTION
 - SF = SQUARE FEET
 - SP = SET BACK PIPE
 - SP = SET BACK
 - SPC = SET BACK NAIL
 - STO = STORAGE
 - W = WEST
 - WPF = WOOD PRIVACY FENCE

ROY J. HADDOCK, SURVEYOR, P.C. REGISTRATION NO. L-2420 PHONE (910) 323-1977
559 EXECUTIVE PLACE, SUITE 102, FAYETTEVILLE, N.C. 28305 FAX (910) 323-4746