

HTE 05-5-11750

IMPROVEMENT PERMIT

21888

Be it ordained by the Harnett County Board of Health as follows: Section III, Item B. "No Person shall begin construction of any building at which a septic tank system is to be used for disposal of sewage without first obtaining a written permit from the Harnett County Health Department."

Name: (owner) Lambert Homes INC New Installation Septic Tank
Property Location: SR# 1427 Baptist Grove RD Repairs Nitrification Line

Subdivision Northwest PINES Lot # 6

Tax ID # _____ Quadrant # _____

Number of Bedrooms Proposed: 3 Lot Size: 21 acres

Basement with Plumbing: Garage:

Water Supply: Well Public Community

Distance From Well: 50' ft.

Following is the minimum specifications for sewage disposal system on above captioned property. Subject to final approval.

Type of system: Conventional Other Septicite

Size of tank: Septic Tank: _____ gallons Pump Tank: _____ gallons

Subsurface Drainage Field No. of ditches 3 exact length of each ditch 133 ft. width of ditches 3 ft. depth of ditches 36 in. ^{deep}

French Drain Required: - Linear feet


Date: 4-21-05

This permit is subject to revocation if site plans or intended use change.

Signed: James E. Markant

Environmental Health Specialist

* Contractor to MEET ON SITE prior to installation.



HARNETT COUNTY DEPARTMENT OF PUBLIC HEALTH AUTHORIZATION TO CONSTRUCT

Authorization is hereby given to construct a wastewater system to the specifications described by Harnett County Department of Public Health, Improvement Permit # 21888. This authorization shall be valid for a period not to exceed five (5) years from the date of issuance. *This authorization will be invalid if ownership, site plans, or intended use change.*

Name Lambert Homes Inc Telephone # 919-557-3686

Address P.O. BOX 1329 F.V. N.C. 27526

Property Location SR# 1427 Road Name Baptist Grove

Subdivision NORTHWEST PINES Lot # 6 # Bedrooms Proposed 3 Lot Size 21 acres

TYPE OF SYSTEM

New Installation Repair Septic Tank Nitrification Lines

Conventional Other _____

Basement With Plumbing Without Plumbing

Water Supply: Well Public Water Supply Minimum Well Setback: _____ Ft.

Septic Tank 1000 gal Pump Chamber _____ gal

NITRIFICATION FIELD SPECIFICATIONS

Number of fields 2 # of lines per field 3 Length of lines 133 Ft.

Width of ditches 3 ft. Depth of ditches 36 inches

French Drain: Linear feet required _____ Depth of gravel _____

No wastewater system shall be covered or placed into use by any person until an inspection by the Harnett County Health Department has determined that the system has been installed according to the conditions of the Improvement Permit and that a valid Operations Permit has been issued.

James E. Merchant
Signature of Authorized Agent for Harnett County

4-21-05
Date