

**SOIL/SITE EVALUATION**  
**for ON-SITE WASTEWATER SYSTEM**

Owner: **05-50011949**

Applicant:

Address:

Date Evaluated:

Proposed Facility:

Design Flow (.1949):

Property Size:

Location of Site:

Property Recorded:

Water Supply:

Public     Individual     Well     Spring     Other

Evaluation Method:

Auger Boring     Pit     Cut

Type of Wastewater:

Sewage     Industrial Process     Mixed

P R O F I L E #	1940 Landscape Position/ Slope%	Horizon Depth (IN.)	SOIL MORPHOLOGY .1941		OTHER PROFILE FACTORS				Profile Class & LTAR
			1941 Structure/ Texture	1941 Consistence Mineralogy	1942 Soil Wetness/ Color	1943 Soil Depth (IN.)	1956 Sapro Class	1944 Restr Horiz	
		054	GR SL	VFA SF		54			e6
		024	GR SL	VFA SF		4			15-4
		0148	SLK SL	FR SL		42			
		1024	GR SL	VFA SF		42			15-4
		2448	SDK SL	FR SL		42			
		054	GR SL	VFA SF		54			6
		024	GR SL	VFA SF		42			15-4
		2442	SDK SL	FR SL		42			
		024	GR SL	VFA SF		42			15-4
		2442	SDK SL	FR SL		42			
		024	GR SL	VFA SF		42			15-4
		2442	SDK SL	FR SL		42			
		024	GR SL	VFA SF		42			15-4
		2442	SDK SL	FR SL		42			

Description	Initial System	Repair System
Available Space (.1945)	✓	✓
System Type(s)	GRAVEL	LAP
Site LTAR	145	12

Other Factors (.1946): \_\_\_\_\_  
 Site Classification (.1948): **P1**  
 Evaluated By: **JWH**  
 Others Present: **CF**

25% Recharge - 1/2 in  
 1x200 18.24      260 LF

COMMENTS: \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_

<u>LANDSCAPE POSITIONS</u>	<u>GROUP</u>	<u>TEXTURES</u>	<u>.1955 LTAR</u>	<u>CONSISTENCE MOIST</u>	<u>WET</u>
R-RIDGE	I	S-SAND	1.2 - 0.8	VFR-VERY FRIABLE	NS-NON-STICKY
S-SHOULDER SLOPE		LS-LOAMY SAND			
L-LINEAR SLOPE	II	SL-SANDY LOAM	0.8 - 0.6	FR-FRIABLE	SS-SLIGHTLY STICKY
FS-FOOT SLOPE		L-LOAM			
N-NOSE SLOPE	III	SI-SILT-	0.6 - 0.3	FI-FIRM	S-STICKY
H-HEAD SLOPE		SIL-SILT LOAM			
CC-CONCLAVE SLOPE		CL-CLAY LOAM			
CV-CONVEX SLOPE		SCL-SANDY CLAY LOAM			
T-TERRACE	IV	SIC-SILTY CLAY	0.4 - 0.1	EFI-EXTREMELY FIRM	NP-NON-PLASTIC
FP-FLOOD PLAN		C-CLAY			
		SC-SANDY CLAY			
		SICL-SILTY CLAY LOAM			VP-VERY PLASTIC


STRUCTURE

- SG-SINGLE GRAIN
- M-MASSIVE
- CR-CRUMB
- GR-GRANULAR
- SBK-SUBANGULAR BLOCKY
- ABK-ANGULAR BLOCKY
- PL-PLATY
- PR-PRISMATIC


MINERALOGY

- SLIGHTLY EXPANSIVE
- EXPANSIVE

Show profile locations and other site features (dimensions, reference or benchmark, and North).







Timberwood Lane

SITE PLAN APPROVAL  
 DISTRICT RA00R USE SFD  
 #BEDROOMS 3  
 Date 04/22/05 A. Duggan  
Administrator

AL=39'-3 1/4"  
 R=25'-0"  
 Δ=90

Crystal Springs Drive

MILLINNEUM HOMES LLC.  
 THE ROSS  
 LOT #147 CRESTVIEW  
 SCALE: 1"=40'

PERMIT COPY