

HARNETT COUNTY HEALTH DEPARTMENT

IMPROVEMENT PERMIT

22009

HTE 05-5-12007

Be it ordained by the Harnett County Board of Health as follows: Section III, Item B. "No Person shall begin construction of any building at which a septic tank system is to be used for disposal of sewage without first obtaining a written permit from the Harnett County Health Department."

Name: (owner) BANAH HOMES INC
Property Location: SR# 1707 NEELYBORNS RD
New Installation, Septic Tank, Repairs, Nitrification Line

Subdivision BENNETT PLACE Lot # 8

Tax ID # Quadrant #

Number of Bedrooms Proposed: 3 Lot Size: .50

Basement with Plumbing: Garage:

Water Supply: Well, Public, Community

Distance From Well: 50' ft.

Following is the minimum specifications for sewage disposal system on above captioned property. Subject to final approval.

Type of system: Conventional, Other

Size of tank: Septic Tank: 1000 gallons Pump Tank:

Subsurface Drainage Field: No. of ditches 4, exact length of each ditch 80 ft., width of ditches 3 ft., depth of ditches 24 in.

French Drain Required: Linear feet

Date: 5-11-05

This permit is subject to revocation if site plans or intended use change.

Signed: James E. Matheson Environmental Health Specialist

