

**SOIL/SITE EVALUATION
 for ON-SITE WASTEWATER SYSTEM**

Owner: **05-500 12368**

Applicant:

Address:

Date Evaluated:

Proposed Facility:

Design Flow (.1949): **300**

Property Size:

Location of Site:

Property Recorded:

Water Supply:

Public Individual Well

Spring Other

Evaluation Method:

Auger Boring Pit

Cut

Type of Wastewater:

Sewage Industrial Process

Mixed

P R O F I L E #	.1940 Landscape Position/ Slope%	Horizon Depth (IN.)	SOIL MORPHOLOGY .1941		OTHER PROFILE FACTORS				Profile Class & LTAR
			.1941 Structure/ Texture	.1941 Consistence Mineralogy	.1942 Soil Wetness/ Color	.1943 Soil Depth (IN.)	.1956 Sapro Class	.1944 Restr Horiz	
		0-40	GR SL	VFA SF					
		40-48	SBK SCL	FR SF		48			.6
		0-40	GR SL	VFA SF		48			.6
		40-48	SDH SCL	FR SF					
		0-30	GR SL	VFA SF		48			.6
		30-48	SBK SCL	FR SF					
		0-12	GR SL	VFA SF		48			.6
		12-24	SBK SCL	FR SF					
		0-30	GR SL	VFA SF		48			.6
		30-48	SDH SCL	FR SF					
		0-24	GR SL	VFA SF		24			.2
		24-26	SDH SCL	FR SF	26' on 2	26			
		26							

Description	Initial System	Repair System
Available Space (.1945)		
System Type(s)		
Site LTAR		

Other Factors (.1946): _____
 Site Classification (.1948): _____
 Evaluated By: **JWA**
 Others Present: **Pits by T. Brown**
H. Cain


COMMENTS: _____

<u>LANDSCAPE POSITIONS</u>	<u>GROUP</u>	<u>TEXTURES</u>	<u>.1955 LTAR</u>	<u>CONSISTENCE MOIST</u>	<u>WET</u>
R-RIDGE	I	S-SAND	1.2 - 0.8	VFR-VERY FRIABLE	NS-NON-STICKY
S-SHOULDER SLOPE		LS-LOAMY SAND			
L-LINEAR SLOPE	II	SL-SANDY LOAM	0.8 - 0.6	FR-FRIABLE	SS-SLIGHTLY STICKY
FS-FOOT SLOPE		L-LOAM			
N-NOSE SLOPE	III	SI-SILT-	0.6 - 0.3	FI-FIRM	S-STICKY
H-HEAD SLOPE		SIL-SILT LOAM			
CC-CONCLAVE SLOPE		CL-CLAY LOAM			
CV-CONVEX SLOPE		SCL-SANDY CLAY LOAM			
T-TERRACE	IV	SIC-SILTY CLAY	0.4 - 0.1	VFI-VERY FIRM	VS-VERY STICKY
FP-FLOOD PLAN		C-CLAY			
		SC-SANDY CLAY			
				EFI-EXTREMELY FIRM	NP-NON-PLASTIC
					SP-SLIGHTLY STICKY
					P-PLASTIC
					VP-VERY PLASTIC



STRUCTURE
 SG-SINGLE GRAIN
 M-MASSIVE
 CR-CRUMB
 GR-GRANULAR
 SBK-SUBANGULAR BLOCKY
 ABK-ANGULAR BLOCKY
 PL-PLATY
 PR-PRISMATIC

MINERALOGY
 SLIGHTLY EXPANSIVE
 EXPANSIVE

Show profile locations and other site features (dimensions, reference or benchmark, and North).



George L. Lott Professional Land Surveyor
126 Rowland Circle, Fayetteville, N.C. 28301
(910) 488-8659 494-2178 WWW.georgelott.com



144


plot plan

Regency Construction
Crestview Estates, Phase 4
Harnett County North Carolina
Scale 1" = ~~30'~~ 40'
May 6, 2005

/ x 150 of 25% bedden

142

SITE PLAN APPROVAL
DISTRICT RAZOR USE SFD
#BEDROOMS 3
LO 73 05
ZONING ADMINISTRATOR



PRELIMINARY
NOT FOR RECORDATION,
CONVEYANCES, OR SALES.

