

50' I+E + UTILITY EASEMENT

HARNETT COUNTY DEPARTMENT OF PUBLIC HEALTH
AUTHORIZATION TO CONSTRUCT

#05-5-12720

Authorization is hereby given to construct a wastewater system to the specifications described by Harnett County Department of Public Health, Improvement Permit # 22187. This authorization shall be valid for a period not to exceed five (5) years from the date of issuance. *This authorization will be invalid if ownership, site plans, or intended use change.*

Name SURE LOCK HOMES Telephone # 919-369-4345

Address 4805 CHRISTIAN CHAPEL RD New Hill N.C. 27562

Property Location SR# 1448 Road Name ATKENS RD

Subdivision Graham Homestead Lot # 5 # Bedrooms Proposed 3 3606PD Lot Size .57

TYPE OF SYSTEM

☒ New Installation ☐ Repair ☒ Septic Tank ☐ Nitrification Lines

☒ Conventional ☐ Other _____

☐ Basement ☐ With Plumbing ☐ Without Plumbing

Water Supply: ☐ Well ☒ Public Water Supply Minimum Well Setback: _____ Ft.

Septic Tank 1000 gal Pump Chamber _____ gal

NITRIFICATION FIELD SPECIFICATIONS

Number of fields 2 # of lines per field 2 Length of lines 175 Ft.

Width of ditches 3 ft. Depth of ditches 24-18" max inches

French Drain: Linear feet required — Depth of gravel —

No wastewater system shall be covered or placed into use by any person until an inspection by the Harnett County Health Department has determined that the system has been installed according to the conditions of the Improvement Permit and that a valid Operations Permit has been issued.

James E. Manhart
Signature of Authorized Agent for Harnett County

8-15-05
Date