


COMMENTS: _____

LANDSCAPE POSITIONS	GROUP	TEXTURES	.1955 LTAR	CONSISTENCE MOIST	WET
R-RIDGE	I	S-SAND	1.2 - 0.8	VFR-VERY FRIABLE FR-FRIABLE FI-FIRM VFI-VERY FIRM EFI-EXTREMELY FIRM	NS-NON-STICKY SS-SLIGHTLY STICKY S-STICKY VS-VERY STICKY NP-NON-PLASTIC SP-SLIGHTLY STICKY P-PLASTIC VP-VERY PLASTIC
S-SHOULDER SLOPE		LS-LOAMY SAND			
L-LINEAR SLOPE	II	SL-SANDY LOAM	0.8 - 0.6		
FS-FOOT SLOPE		L-LOAM			
N-NOSE SLOPE	III	SI-SILT-	0.6 - 0.3		
H-HEAD SLOPE		SIL-SILT LOAM			
CC-CONCLAVE SLOPE		CL-CLAY LOAM			
CV-CONVEX SLOPE		SCL-SANDY CLAY LOAM			
T-TERRACE	IV	SIC-SILTY CLAY	0.4 - 0.1		
FP-FLOOD PLAN		C-CLAY			
		SC-SANDY CLAY			

STRUCTURE
 SG-SINGLE GRAIN
 M-MASSIVE
 CR-CRUMB
 GR-GRANULAR
 SBK-SUBANGULAR BLOCKY
 ABK-ANGULAR BLOCKY
 PL-PLATY
 PR-PRISMATIC

MINERALOGY
 SLIGHTLY EXPANSIVE
 EXPANSIVE

Show profile locations and other site features (dimensions, reference or benchmark, and North).



NCSR # 2064 "ANDERSON CREEK CR"

S 61°19'29"W 209.86'

S 80°49'02"W 99.81'

S 59°55'22"W 99.81'

Driveway

805'

Power Pole

100'

94'

US

94'

N 40°23'18"W 645.18'

N 81°57'01"E 645.49'

2.33 AC. (2)

307'

N 41°08'55"W 576.97'

88.64'

E/P

N 81°26'57"E 210.22'

E/P

N 41°13'59"W 492.57'

210.86'

281.71'

E/P

AC. TOTAL 2

SITE PLAN APPROVAL SFD
DISTRICT RAZOR USE
#BEDROOMS 1
Zoning Admin. RZR
Date 8/29/05

EXISTING MOBILE HOME

EXISTING MOBILE HOME

Proposed DUMP (155-11340)

Proposed SFD 2.90 AC

1-60