

COMMENTS: _____

LANDSCAPE POSITIONS

GROUP

TEXTURES

.1955 LTAR

CONSISTENCE MOIST

WET

R-RIDGE

I

S-SAND

1.2 - 0.8

S-SHOULDER SLOPE

LS-LOAMY SAND

L-LINEAR SLOPE

II

SL-SANDY LOAM

0.8 - 0.6

FS-FOOT SLOPE

L-LOAM

N-NOSE SLOPE

III

SI-SILT-

0.6 - 0.3

H-HEAD SLOPE

SIL-SILT LOAM

CC-CONCLAVE SLOPE

CL-CLAY LOAM

CV-CONVEX SLOPE

SCL-SANDY CLAY LOAM

T-TERRACE

SICL-SILTY CLAY LOAM

FP-FLOOD PLAN

IV

SIC-SILTY CLAY

0.4 - 0.1

C-CLAY

SC-SANDY CLAY

VFR-VERY FRIABLE

FR-FRIABLE

FI-FIRM

VFI-VERY FIRM

EFI-EXTREMELY FIRM

NS-NON-STICKY

SS-SLIGHTLY STICKY

S-STICKY

VS-VERY STICKY

NP-NON-PLASTIC

SP-SLIGHTLY STICKY

P-PLASTIC

VP-VERY PLASTIC

STRUCTURE

SG-SINGLE GRAIN

M-MASSIVE

CR-CRUMB

GR-GRANULAR

SBK-SUBANGULAR BLOCKY

ABK-ANGULAR BLOCKY

PL-PLATY


PR-PRISMATIC

MINERALOGY


SLIGHTLY EXPANSIVE

EXPANSIVE

Show profile locations and other site features (dimensions, reference or benchmark, and North).



(#####)



125

AREA =
28,348 SQ. FT.

128

AREA =
28,074 SQ. FT.

136

AREA =
25,965 SQ. FT.

135

AREA =
25,000 SQ. FT.

134

AREA =
25,000 SQ. FT.

133

AREA =
25,000 SQ. FT.

TYLERSTONE DRIVE

PUBLIC
R/W

SITE PLAN APPROVAL
DISTRICT R330 USE SED
#BEDROOMS 3

Dalalabany G. Diogou
Zoning Administrator

F.H.

30.00' 52.80' 100.01' 100.01' 100.01' 100.01' 553.4'

S 61°28'04"E

11.34'

72°40'55"E 280.34'

N 27°54'36"E 283.46'

N 27°54'36"E 282.38'

N 27°54'36"E 281.29'

N 27°54'36"E 280.00'

20.00'

C11

100.00'

100.00'

100.00'

100.00'

5.0'

C3

S 62°05'24"E 57

64.08'

100.00'

100.00'

100.00'

100.00'

213.32'

S 32°00'24"W

7°54'36"W 250.00'

7°54'36"W 250.00'

7°54'36"W 250.00'

7°54'36"W 250.00'

185'

185'

47'

48'

20'

12'

DRIVE