ivision of Environmental Health n-site Wastewater Section

> SOIL/SITE EVA....TION for ON-SITE WASTEWATER SYSTEM

Property ID: Lot #: File #: Çode:

		1
Owner:	m'Ho	poder

Applicant:

Address:

Date Evaluated: Property Size:

roposed Facility:

Design Flow (.1949):

Property Recorded:

ocation of Site:

Vater Supply: [] Public [] Individual

[] Well

[] Spring

[]Other

:valuation Method:

[] Auger Boring

[]Pit

[]Cut

ype of Wastewater:

[] Sewage

[] Industrial Process

[] Mixed

л по н				SOIL MORPHOLOGY		OTHER PROFILE FACTORS			
L E #	194 Landso Position Slope	cape on/	Horizon Depth (IN.)	.1941 Structure/ Texture	1941 Consistence Mineralogy	1942 Soil Wetness/ Color	.1943 199 Soil Sap Depth (IN.) Cla	ro Restr	Profile Class & LTAR
1	L.	2%	0-15	su-4- 8	CAM (SAN) 55.P	42 10R		75	8-73
7	2	2%	0-18 18-42	5C.CL	FREM 1 ggs 55.8	42" 121			26.3
									_

Description	Initial System	Repair System
Available Space (.1945)		
System Type(s)	250/1	25%-LSP
Site LTAR	. 3	. 3

Other Factors (.1946):

Site Classification (.1948):

Evaluated By:

Others Present:

FILE	#

VP-VERY PLASTIC

		in the second of	The state of the state of	The second second	THE PERSON NAMED IN COLUMN TWO IS NOT THE PERSON NAMED IN COLUMN TO THE PERSON NAMED IN COLUMN T
LANDSCAPE POSITIONS	GROUP	TEXTURES	.1955 LTAR	CONSISTENCE MOIST	WET SHOPT SHE
R-RIDGE S-SHOULDER SLOPE L-LINEAR SLOPE FS-FOOT SLOPE N-NOSE SLOPE H-HEAD SLOPE CC-CONCLAVE SLOPE CV-CONVEX SLOPE T-TERRACE	Jeta DoS steel	S-SAND LS-LOAMY SAND	1.2 - 0.8	FR-FRIABLE SS-SLIG FI-FIRM S-STICH VFI-VERY FIRM VS-VER EFI-EXTREMELY FIRM NP-NON SP-SLIG	NS-NON-STICKY SS-SLIGHTLY STICKY S-STICKY
	n 1	SL-SANDY LOAM L-LOAM	0.8 - 0.6		
	ш	SI-SILT- SIL-SILT LOAM CL-CLAY LOAM	0.6 – 0.3		VS-VERY STICKY NP-NON-PLASTIC SP-SLIGHTLY STICKY P-PLASTIC

0.4-0.1

SCL-SANDY CLAY LOAM SICL-SILTY CLAY LOAM

SIC-SILTY CLAY

SC-SANDY CLAY

C-CLAY

STRUCTURE
SG-SINGLE GRAIN
M-MASSIVE
CR-CRUMB
GR-GRANULAR
SBK-SUBANGULAR BLOCKY
ABK-ANGULAR BLOCKY

COMMENTS:

FP-FLOOD PLAN

PL-PLATY PR-PRISMATIC

Show profile locations and other site features (dimensions, reference or benchmark, and North).

	CHK I
STOTE Sertificate of improvements Maintenance	
TO I her by certify that I assume all financial and legal	North Carolina
(100) strafts and other required improvements in the	I, a Notary Public of the County and State aforesaid, certify that
ind they are accepted for maintenance by the North Carllina Department of Transportation or other appropriate public entities. 7-22-05 Jean Anderson	personally appeared before me this day and acknowledged the execution of the foregoing instrument. Witness my h
20. July 22-05 Jean Anderson	and official stamp or seal, thisday of, 20
S.	Notary Public
0/5, 0/4	My Commission Expires
OISTRICT BARONAI	
9 \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	Constitutions of Assessed of the Dealer and Constitution of Constitution
	Certificate of Approval of the Design and Construction of Streets. I hereby cerify that all streets and other required
121 121 134 35 00 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	improvements have been installed in an acceptable manner and according to Harnett County specifications and
(121) (S) (S) (S) (S) (S) (S) (S) (S) (S) (S	standards in the Subdivision or that
17 So 15 So	improvements in an amount and manner satisfactory to the
	lanning Department of Harnett County hads been colored, and that the filing fee for the plat has been paid.
Some of the second seco	7. 127.41
CONTROL BOINT	8/9/05 Harnett County Subactision Administr
CONTROL POINT	0/1/03
(123)	
52.00. D	
52.80. 11.34 100.01	6 2
123) 123) 96) 11.34 96) 11.34 100, 11.34 100, 11.34	95) Face
90 2 1 1 1 1 2 1 1 1 1 1 1 1 1 1 1 1 1 1	100.01.5 61.28
800 12 12 12 12 12 12 12 12 12 12 12 12 12	704" _F
(2)	100.05.43. (94)
T. (20) (2) (2) (2) (2) (3) (2) (3) (4) (4) (4) (4) (4) (4) (4) (4) (4) (4	A 34
C000 c8	
56 05 0 N COO CS	1000
RCF 35 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	100 1 2 3
1000000	128 CONTROL POINT
30,511 SQ. FT.	(128) CONTROL POINT
30,511 SQ. FT. 28, 785 2 2 200.00.	
	W - B