

HTE# 05-5-13593

IMPROVEMENT PERMIT 22796

Be it ordained by the Harnett County Board of Health as follows: Section III, Item B. "No person shall begin construction of any building at which a septic tank system is to be used for disposal of sewage without first obtaining a written permit from the Harnett County Health Department."

Name: (owner) BANAH HOMES INC New Installation Septic Tank Repair
Property Location: SR# 1707 NEIGHBORS RD Nitrification Line Expansion
Subdivision BENNETT PLACE Lot # 2
Tax ID# _____ Quadrant # _____
Number of Bedrooms Proposed : 3 360GPD Lot Size: .542

Basement with Plumbing: Garage:
Water Supply: Well Public Community
Distance From Well: 50' ft.

Following is the minimum specifications for sewage disposal system on above captioned property.
Subject to final approval.

Type of system: Conventional Other 25% Reduction System
Size of tank: Septic Tank: 1000 gallons Pump Tank: _____ gallons

Subsurface Drainage Field No. of ditches 2 ft. exact length of each ditch 150 ft. width of ditches 3 ft. depth of ditches 24 in.

French Drain Required: — Linear feet

Date: 12-8-05
PERMIT EXPIRES 5 YEARS FROM ABOVE DATE


This permit is subject to revocation if site plans or intended use change.

Signed: James E. Markant
Environmental Health Specialist

STUB PLUMBING OUT HIGH TO ALLOW TANK TO SET 15' off BACK CORNER IN NOT Pump may BE Required.

*Contractor to MEET ON SITE prior to INSTALLATION

*System layout may change from DIAGRAM!



HARNETT COUNTY DEPARTMENT OF PUBLIC HEALTH AUTHORIZATION TO CONSTRUCT

Authorization is hereby given to construct a wastewater system to the specifications described by Harnett County Department of Public Health, Improvement Permit # 22796. This authorization shall be valid for a period not to exceed five (5) years from the date of issuance. *This authorization will be invalid if ownership, site plans, or intended use change.*

BANAH HOMES INC Name 919-639-2031 Telephone #

173 WED DENNING RD Angier N.C. 27501 Address

1707 Property Location SR# Neighbors RD Road Name

Bennett PLACE 2 Subdivision 3 3606PD Lot # # Bedrooms Proposed .542 Lot Size

TYPE OF SYSTEM

New Installation Repair Septic Tank Nitrification Lines

Conventional Other 25% reduction system

Basement With Plumbing Without Plumbing

Water Supply: Well Public Water Supply Minimum Well Setback: _____ Ft.

Septic Tank 1000 gal Pump Chamber _____ gal

NITRIFICATION FIELD SPECIFICATIONS

Number of fields 2 # of lines per field 2 Length of lines 150 Ft.

Width of ditches 3 ft. Depth of ditches 24 inches

French Drain: Linear feet required _____ Depth of gravel _____

No wastewater system shall be covered or placed into use by any person until an inspection by the Harnett County Health Department has determined that the system has been installed according to the conditions of the Improvement Permit and that a valid Operations Permit has been issued.

James E. Mountant
Signature of Authorized Agent for Harnett County

12-9-05
Date