

HTE# 06-50014691R

Harnett County Department of Public Health

23224

Improvement Permit

A building permit cannot be issued with only an Improvement Permit

ISSUED TO: Caviness Land Dev. PROPERTY LOCATION: 1125
 SUBDIVISION: FOREST OAKS LOT # 56
 NEW REPAIR EXPANSION Site Improvements required prior to Construction Authorization Issuance:
 Type of Structure: SFD (3BR 47x54)
 Proposed Wastewater System Type: Pump to 25% Reduction
 Projected Daily Flow: 360 GPD
 Number of bedrooms: 3 Number of Occupants: 6 max
 Basement Yes No
 Pump Required: Yes No May be required based on final location and elevations of facilities
 Type of Water Supply: Community Public Well Distance from well _____ feet Permit valid for: Five years
 No expiration
 Permit conditions: Meet onsite for final layout, 5748 out plumbing shallow
where shown & pump may not be required

Authorized State Agent: J. L. Lani Date: 09-25-11 SEE ATTACHED SITE SKETCH
 The issuance of this permit by the Health Department in no way guarantees the issuance of other permits. The permit holder is responsible for checking with appropriate governing bodies in meeting their requirements. This site is subject to revocation if the site plan, plat, or the intended use changes. The Improvement Permit shall not be affected by a change in ownership of the site. This permit is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to conditions of this permit.

Construction Authorization

(Required for Building Permit)

The construction and installation requirements of Rules .1950, .1952, .1954, .1955, .1956, .1957, .1958, and .1959 are incorporated by references into this permit and shall be met. Systems shall be installed in accordance with the attached system layout.

ISSUED TO: Caviness Land Dev. PROPERTY LOCATION: 1125
 SUBDIVISION: FOREST OAKS LOT # 56
 Facility Type: SFD (3BR 47x54) New Expansion Repair
 Basement? Yes No Basement Fixtures? Yes No
 Type of Wastewater System** 25% Reduction system (Initial) Wastewater Flow: 360 GPD
 (See note below, if applicable) LEP Repair 250 LF (Repair)

Installation Requirements/Conditions
 Septic Tank Size 1000 gallons
 Pump Tank Size 1000 gallons
 Exact length of each trench 1 x 180 feet
 Trenches shall be installed on contour at a
 Maximum Trench Depth of: 18-24 inches
 (Trench bottoms shall be level to +/- 1/4" in all directions)
 Trench Spacing: 9 Feet on Center
 Soil Cover: 6 inches
 (Maximum soil cover shall not exceed 36" above the trench bottom)
 Pump Requirements: _____ ft. TDH vs. _____ GPM
 Aggregate Depth: _____ inches below pipe
 _____ inches above pipe
 _____ inches total
 Conditions: Meet onsite

**If applicable: I understand the system type specified is different from the type specified on the application. I accept the specifications of this permit.

Owner/Legal Representative Signature: _____ Date: _____

This Construction Authorization is subject to revocation if the site plan, plat, or the intended use changes. The Construction Authorization shall not be transferred when there is a change in ownership of the site. This Construction Authorization is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to the conditions of this permit.

Authorized State Agent: J. L. Lani Date: 9-25-11 SEE ATTACHED SITE SKETCH
 Construction Authorization Expiration Date: 7-25-2011

HTE# 06-50014691 R

Permit # 23224

Harnett County Department of Public Health Site Sketch

PROPERTY LOCATION: 1125
SUBDIVISION FOREST OAKS LOT # 5C

ISSUED TO: Carney Land Dev.

Date: 09.25.06

Authorized State Agent: *[Signature]*

STUB OUT Plumbing shallow, At Ground level or higher
And pump MAY not be required - meet onsite for Final
Layout - maintain all setbacks
Install 1x180 of 25% Reduction system at 18 to 24" Deep.
Line will be of varying Lengths Line Lengths To be determined
At Final Layout

