

HTE# 06-5-15265

IMPROVEMENT PERMIT 23105

Be it ordained by the Harnett County Board of Health as follows: Section III, Item B. "No person shall begin construction of any building at which a septic tank system is to be used for disposal of sewage without first obtaining a written permit from the Harnett County Health Department."

Name: (owner) Beltwell Homes INC New Installation Septic Tank Repair
 Property Location: SR# 1429 Chalhaste RD Nitrification Line Expansion
 Subdivision DEXTERFIELD Lot # 62
 Tax ID# _____ Quadrant # _____
 Number of Bedrooms Proposed: 3 BR 360 GPD Lot Size: .401

Basement with Plumbing: Garage:
 Water Supply: Well Public Community
 Distance From Well: 50' ft.

Following is the minimum specifications for sewage disposal system on above captioned property. Subject to final approval.

Type of system: Conventional Other 25% Reduction System

Size of tank: Septic Tank: 1000 gallons Pump Tank: _____ gallons

Subsurface No. of exact length width of depth of
 Drainage Field ditches 5 ft. of each ditch 60 ft. ditches 3 ft. ditches 22-18 in.


French Drain Required: - Linear feet

Date: 7-13-06

This permit is subject to revocation if site plans or intended use change.

PERMIT EXPIRES 5 YEARS FROM ABOVE DATE

Signed: James E. Montant
 Environmental Health Specialist



06-5-15265

HARNETT COUNTY DEPARTMENT OF PUBLIC HEALTH AUTHORIZATION TO CONSTRUCT

Authorization is hereby given to construct a wastewater system to the specifications described by Harnett County Department of Public Health, Improvement Permit # 23105. This authorization shall be valid for a period not to exceed five (5) years from the date of issuance. *This authorization will be invalid if ownership, site plans, or intended use change.*

BELTWEEL HOMES INC
Name _____ Telephone # _____

720 TREBOR DRIVE GARNER N.C. 27529
Address _____

1429 _____ Chalybeate
Property Location SR# _____ Road Name _____

DEXTERFIELD 62 3 BR 360 GPD .401
Subdivision _____ Lot # _____ # Bedrooms Proposed _____ Lot Size _____

TYPE OF SYSTEM

- New Installation Repair Septic Tank Nitrification Lines
- Conventional Other 25% Reduction Syst
- Basement With Plumbing Without Plumbing

Water Supply: Well Public Water Supply Minimum Well Setback: _____ Ft.

Septic Tank 1000 gal Pump Chamber _____ gal

NITRIFICATION FIELD SPECIFICATIONS

Number of fields 2 # of lines per field 5 Length of lines 60 Ft.

Width of ditches 3 ft. Depth of ditches 22x18 inches

French Drain: Linear feet required - Depth of gravel -

No wastewater system shall be covered or placed into use by any person until an inspection by the Harnett County Health Department has determined that the system has been installed according to the conditions of the Improvement Permit and that a valid Operations Permit has been issued.

James E. Manshart
Signature of Authorized Agent for Harnett County

7-13-06
Date