

Improvement Permit

A building permit cannot be issued with only an Improvement Permit

ISSUED TO: CAVINESS Land Dev. PROPERTY LOCATION: SR ~~1125~~ 1125
SUBDIVISION Woodshire LOT # 103

NEW REPAIR EXPANSION Site Improvements required prior to Construction Authorization Issuance:

Type of Structure: 3(48x48) Home 360 gpd

Proposed Wastewater System Type: 25% Reduction System

Projected Daily Flow: 360 gpd GPD

Number of bedrooms: 3 Number of Occupants: 6 max

Basement Yes No

Pump Required: Yes No May be required based on final location and elevations of facilities

Type of Water Supply: Community Public Well Distance from well _____ feet Permit valid for: Five years

Permit conditions: STUB out Plumbing shallow At Ground level or higher No expiration

Maintain ALL setBACKS - meet onsite for Final Layout

Lines to start 12' away from Power Line (overhead)

Authorized State Agent: J. W. R. Date: 08-29-06 SEE ATTACHED SITE SKETCH

The issuance of this permit by the Health Department in no way guarantees the issuance of other permits. The permit holder is responsible for checking with appropriate governing bodies in meeting their requirements. This site is subject to revocation if the site plan, plat, or the intended use changes. The Improvement Permit shall not be affected by a change in ownership of the site. This permit is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to conditions of this permit.

Construction Authorization

(Required for Building Permit)

The construction and installation requirements of Rules .1950, .1952, .1954, .1955, .1956, .1957, .1958, and .1959 are incorporated by references into this permit and shall be met. Systems shall be installed in accordance with the attached system layout.

ISSUED TO: CAVINESS Land Dev. PROPERTY LOCATION: SR ~~1125~~ 1125
SUBDIVISION Woodshire LOT # 103

Facility Type: 3(48x48) Home New Expansion Repair

Basement? Yes No Basement Fixtures? Yes No

Type of Wastewater System** 25% Reduction System (Initial) Wastewater Flow: 360 GPD

(See note below, if applicable) LPP (360 LF) (Repair)

Installation Requirements/Conditions

Septic Tank Size 1000 gallons Exact length of each trench 3x75 feet Trench Spacing: 9 Feet on Center

Pump Tank Size _____ gallons Trenches shall be installed on contour at a Soil Cover: 6 inches

Maximum Trench Depth of: 18 inches (Maximum soil cover shall not exceed 36" above the trench bottom)

(Trench bottoms shall be level to +/-1/4" in all directions)

Pump Requirements: _____ ft. TDH vs. _____ GPM _____ inches below pipe

Aggregate Depth: _____ inches above pipe _____ inches total

**If applicable: *I understand the system type specified is different from the type specified on the application. I accept the specifications of this permit.*

Owner/Legal Representative Signature: _____ Date: _____

This Construction Authorization is subject to revocation if the site plan, plat, or the intended use changes. The Construction Authorization shall not be transferred when there is a change in ownership of the site. This Construction Authorization is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to the conditions of this permit.

Authorized State Agent: J. W. R. Date: 08-29-06 SEE ATTACHED SITE SKETCH

Construction Authorization Expiration Date: 08-29-2011

HTE# 06-500 15408R

Permit # 23201

Harnett County Department of Public Health Site Sketch

ISSUED TO: CAVINESS Land Dev. PROPERTY LOCATOR: SR ~~1127~~ 1125
 SUBDIVISION Woodshire LOT # 103
 Authorized State Agent: Ju Waters Date: 08-29-06

