HTE# 06-5-15648

## Hamett County Department of Public Jealth 23258

Improvement Permit

A building permit cannot be issued with only an Improvement Permit PROPERTY LOCATION: TRUELONE RO ISSUED TO: TERHUNE HOMES LLC SUBDIVISION TAYLOR POINTE LOT # 12 REPAIR EXPANSION [ Site Improvements required prior to Construction Authorization Issuance: Type of Structure: 3 BEDROOM HOME Proposed Wastewater System Type: 25% REDUCTION SYSTEM Projected Daily Flow: 360 GPD Number of Occupants: 6 max Number of bedrooms: Basement Tyes No. May be required based on final location and elevations of facilities Pump Required: Tes ☐ No Type of Water Supply: 

Community Public Well Distance from well 100 feet Permit valid for: Five years ☐ No expiration es Course Tourson Date: 9/14/06 Authorized State Agent:: The issuance of this permit by the Health Department in no way guarantees the issuance of other permits. The permit holder is responsible for checking with appropriate governing bodies in meeting their requirements. This site is subject to revocation if the site plan, plat, or the intended use changes. The Improvement Permit shall not be affected by a change in ownership of the site. This permit is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to conditions of this permit. **Construction Authorization** (Required for Building Permit) The construction and installation requirements of Rules .1950, .1952, .1954, .1955, .1956, .1957, .1958 and .1959 are incorporated by references into this permit and shall be met. Systems shall be installed in accordance with the attached system layout. ISSUED TO: TERHONE HOMES LLC PROPERTY LOCATION: TRUEWIE RO SUBDIVISION TAYLOR POINTE LOT # 12 Facility Type: 3 BEDROOM HOME New Expansion Repair Basement? ☐ Yes ☒ No Basement Fixtures? ☐ Yes ☐ No Wastewater Flow: 360 Type of Wastewater System\*\* 25% REDUCTION SYSTEM (Initial) (See note below, if applicable 

) LOW PRESSURE PIPE Installation Requirements/Conditions 1 TRENCH Exact length of each trench 260 feet Trench Spacing: 9 Feet on Center Septic Tank Size 1000 gallons Soil Cover: 6 inches Trenches shall be installed on contour at a Pump Tank Size gallons Maximum Trench Depth of: 18 inches (Maximum soil cover shall not exceed (Trench bottoms shall be level to +/-1/4" 36" above the trench bottom) in all directions) Pump Requirements: \_\_\_\_\_ft. TDH vs. \_\_\_\_ inches below pipe Aggregate Depth: inches above pipe inches total Conditions: I understand the system type specified is different from the type specified on the application. I accept the specifications of this permit. \*\*If applicable: Owner/Legal Representative Signature: \_\_\_\_ This Construction Authorization is subject to revocation if the site plan, plat, or the intended use changes. The Construction Authorization shall not be transferred when there is a change in ownership of the site. This Construction Authorization is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to the conditions of this permit. SEE ATTACHED SITE SKETCH Date: 9/14/06 Construction Authorization Expiration Date: 9 H 11 Authorized State Agent:

## Harnett County Department of Public Health Site Sketch



