
## HTE# 06-500-15950 R Harnett county Department of Public Health 23598

Improvement Permit

A building permit cannot be issued with only an Improvement Permit
PROPERTY LOCATION: Docs Road
ISSUED TO: GARY KODINSON Homes SUBDIVISION COLONIAL HILS LOT # 32
NEW REPAIR   EXPANSION   Site Improvements required prior to Construction Authorization Issuance:
Type of Structure: SFD-37x64-3BR
Proposed Wastewater System Type: 257- Rechestion System
Projected Daily Flow: 360 GPD
Number of bedrooms:
Pump Required: 🗆 Yes 🗀 No 🥦 May be required based on final location and elevations of facilities  Type of Water Supply: 🗀 Community 🔀 Public 🗀 Well Distance from well 100 feet
Permit conditions: Mect Onsite for Final Layout - must stub out Plumbing \( \sigma \) No expiration
Shallow, at ground level or higher where shown water Line flour Line must be
10 from my part of The Septic System maintain All Set Backs
Authorized State Agent: Date: 08-01-2015 SEE ATTACHED SITE SKETCH
The issuance of this permit by the Health Department in no way guarantees the issuance of other permits. The permit holder is responsible for checking with appropriate governing bodies in meeting
their requirements. This site is subject to revocation if the site plan, plat, or the intended use changes. The Improvement Permit shall not be affected by a change in ownership of the site. This
permit is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to conditions of this permit.
Construction Authorization
(Required for Building Permit)
The construction and installation requirements of Rules .1950, .1952, .1954, .1955, .1956, .1957, .1958, and .1959 are incorporated by references into this permit and shall be met. Systems shall be
installed in accordance with the attached system layout.
ISSUED TO: GARY ROBINSON Homes PROPERTY LOCATION: Doc's Road
SUBDIVISION COLONIAL H.11s LOT # 32
Facility Type: SFO-37643BR Dew Expansion Repair
Basement? ☐ Yes ☐ No Basement Fixtures? ☐ Yes ☐ No
Type of Wastewater System** 25% Red-cto- system(Initial) Wastewater Flow: 362 mx GPD
(See note below, if applicable $\square$ )
LOP Ryplic (Repair)
Installation Requirements/Conditions
Installation requirements conditions
Septic Tank Size 1000 gallons Exact length of each trench 200 feet Trench Spacing: 9 Feet on Center
Pump Tank Size gallons
Maximum Trench Depth of: 18-24 inches (Maximum soil cover shall not exceed
(Trench bottoms shall be level to +/-1/4" 36" above the trench bottom)
in all directions)
Pump Requirements:ft. TDH vs GPM inches below pipe
Aggregate Depth: inches above pipe
Conditions: inches total
**If applicable: I understand the system type specified is different from the type specified on the application. I accept the specifications of this permit.
Owner/Legal Representative Signature: Date:
This Construction Authorization is subject to revocation if the site plan, plat, or the intended use changes. The Construction Authorization shall not be transferred when there is a change in ownership
of the site. This Construction Authorization is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to the conditions of this permit.
SEE ATTACHED SITE SKETCH
Authorized State Agent: Date: 08-01-2010
Construction Authorization Expiration Date: 08-01-2015

## Harnett County Department of Public Health Site Sketch



Meet onsite for Final Layout
Maintain All set Backs
Keep Power Line I water Line 10' from any part of septic system
Install 200' of 25% Reduction System at 18"-dy