

Owner: Atkins Place LLC

Application # 0650016070R

Initial Application Date: 10/31/2006 12/4/06

COUNTY OF HARNETT LAND USE APPLICATION

Central Permitting 108 E. Front Street, Lillington, NC 27546 Phone: (910) 893-7525 Fax: (910) 893-2793 www.harnett.org

APPLICANT/ LANDOWNER: Brian Johnson Builders Inc Mailing Address: 635 Chisenhall Rd

City: Angier State: NC Zip: 27501 Home #: 919 639 3714 Contact #: 919 427 2976

APPLICANT: Brian Johnson Builders Inc Mailing Address: 635 Chisenhall Rd

City: Angier State: NC Zip: 27501 Home #: 919 639 3711 Contact #: 919 427 2976

PROPERTY LOCATION: State Road #: 1429 State Road Name: Chalybeate Rd

Parcel: 080653003002 PIN: 0653485204000

Zoning: RA-30 Subdivision: Dexterfield Lot #: 2 Lot Size: .39

Flood Plain: x Panel: 50 Watershed: 10 Deed Book/Page: 02044/0564 Plat Book/Page: 0000144

SPECIFIC DIRECTIONS TO THE PROPERTY FROM LILLINGTON: From lillington take 401 to Fuquay Varina T/H on SR 1429 Chalybeate Rd go 1/8 mile sub on left

PROPOSED USE:

SFD (Size 42 x 60) # Bedrooms 3 # Baths 2 1/2 Basement (w/wo bath) N/A Garage 22x22 Deck RM12 Crawl Space / Slab

Modular: On frame Off frame (Size x) # Bedrooms # Baths Garage (site built?) Deck (site built?)

Multi-Family Dwelling No. Units No. Bedrooms/Unit

Manufactured Home: SW DW TW (Size x) # Bedrooms Garage (site built?) Deck (site built?)

Business Sq. Ft. Retail Space Type # Employees: Hours of Operation:

Industry Sq. Ft. Type # Employees: Hours of Operation:

Church Seating Capacity # Bathrooms Kitchen

Home Occupation (Size x) # Rooms Use Spec Hours of Operation:

Accessory/Other (Size x) Use Closets in addition () yes () no

Addition to Existing Building (Size x) Use

Water Supply: County () Well (No. dwellings) () Other

Sewage Supply: New Septic Tank (Need to fill out New Tank Checklist) () Existing Septic Tank () County Sewer () Other

Property owner of this tract of land own land that contains a manufactured home w/in five hundred feet (500') of tract listed above? () YES () NO

Structures on this tract of land: Single family dwellings 1 Manufactured Homes 1 Other (specify)

Required Residential Property Line Setbacks: Comments: 12/4 rotate house

Front	Minimum <u>35</u>	Actual <u>36</u>
Rear	<u>25</u>	<u>29 87</u>
Side	<u>10</u>	<u>30 20</u>
Corner/Sidestreet	<u>20</u>	<u>N/A</u>
Nearest Building on same lot	<u>10</u>	<u>N/A</u>

If permits are granted I agree to conform to all ordinances and the laws of the State of North Carolina regulating such work and the specifications of plans submitted. I hereby state that the foregoing statements are accurate and correct to the best of my knowledge. This permit is subject to revocation if false information is provided on this form.


Signature of Owner or Owner's Agent: Brian Johnson

Date: 10/30/06

This application expires 6 months from the initial date if no permits have been issued
A RECORDED SURVEY MAP, RECORDED DEED (OR OFFER TO PURCHASE) AND PLAT ARE REQUIRED WHEN APPLYING FOR LAND USE APPLICATION

Please use Blue or Black Ink ONLY

1" = 60'



Dexterfield Dr.

lot # 2

SITE PLAN APPROVAL

DISTRICT RA30 USE SFD

#BEDROOMS 3

Paula 12/4/06
ZONING ADMINISTRATOR

Paula
Brigh

OWNER NAME: Bran Johnson Builders Inc

APPLICATION #: DU-50016076

This application to be filled out only when applying for a new septic system.

County Health Department Application for Improvement Permit and/or Authorization to Construct

IF THE INFORMATION IN THIS APPLICATION IS FALSIFIED, CHANGED, OR THE SITE IS ALTERED, THEN THE IMPROVEMENT PERMIT OR AUTHORIZATION TO CONSTRUCT SHALL BECOME INVALID. The permit is valid for either 60 months or without expiration depending upon documentation submitted. (complete site plan = 60 months; complete plat = without expiration)

DEVELOPMENT INFORMATION

- New single family residence
- Expansion of existing system
- Repair to malfunctioning sewage disposal system
- Non-residential type of structure

WATER SUPPLY

- New well
- Existing well
- Community well
- Public water
- Spring

Are there any existing wells, springs, or existing waterlines on this property? yes no unknown

SEPTIC

If applying for authorization to construct please indicate desired system type(s): can be ranked in order of preference, must choose one.

- Accepted Innovative
- Alternative Other
- Conventional Any

The applicant shall notify the local health department upon submittal of this application if any of the following apply to the property in question. If the answer is "yes", applicant must attach supporting documentation.

- YES NO Does The Site Contain Any Jurisdictional Wetlands?
- YES NO Does The Site Contain Any Existing Wastewater Systems?
- YES NO Is Any Wastewater Going To Be Generated On The Site Other Than Domestic Sewage?
- YES NO Is The Site Subject To Approval By Any Other Public Agency?
- YES NO Are There Any Easements Or Right Of Ways On This Property?

I Have Read This Application And Certify That The Information Provided Herein Is True, Complete And Correct. Authorized County And State Officials Are Granted Right Of Entry To Conduct Necessary Inspections To Determine Compliance With Applicable Laws And Rules. I Understand That I Am Solely Responsible For The Proper Identification And Labeling Of All Property Lines And Corners And Making The Site Accessible So That A Complete Site Evaluation Can Be Performed.

Brian Johnson
PROPERTY OWNERS OR OWNERS LEGAL REPRESENTATIVE SIGNATURE (REQUIRED)

10/30/04
DATE



FOR REGISTRATION REGISTER OF DEEDS
 KIMBERLY S. HARGROVE
 HARNETT COUNTY, NC
 2005 FEB 19 03:57:05 PM
 BK: 2844 PG: 564-566 FEE: \$17.00
 NC REV STAMP: \$1,000.00
 INSTRUMENT # 2005002842

9/10/08-0653-0030
 4-18-05

NORTH CAROLINA GENERAL WARRANTY DEED

Excise Tax: \$1,000.00

Parcel Identifier No. OUT OF 080833 0020 Verified by _____ County on the _____ day of _____, 20____
 By: _____

Mail/Box to: Atkins Place, LLC, 72 Overlook Court, Angier, NC 27501

This instrument was prepared by: Adams & Howell, P.A., 728 N. Raleigh St Suite B1, Angier, NC 27501

Brief description for the Index: 42.71 ACRE OFF CHALYBEATE RD

THIS DEED made this 18th day of February, 2005, by and between

GRANTOR	GRANTEE
Sammy P. Overby (widow) Brenda Overby Clayton (widow) 568 Baptist Grove Road Fuquay Varina, NC 27526	Atkins Place, LLC 72 Overlook Court Angier, NC 27501

The designation Grantor and Grantee as used herein shall include said parties, their heirs, successors, and assigns, and shall include singular, plural, masculine, feminine or neuter as required by context.

WITNESSETH, that the Grantor, for a valuable consideration paid by the Grantee, the receipt of which is hereby acknowledged, has and by these presents does grant, bargain, sell and convey unto the Grantee in fee simple, all that certain lot or parcel of land situated in the City of _____ Hectors Creek Township, _____ Harnett County, North Carolina and more particularly described as follows:

BEING all of that 42.71 acre tract shown on map entitled "Survey For: Atkins Place, LLC" and recorded in Map No 2005-101, Harnett County Registry.

Subject to all easements, rights-of-way, covenants and other restrictions as shown on the public record or as would be disclosed by an accurate survey and inspection of the land.

The property hereinabove described was acquired by Grantor by Estate File No 99-E-16, Harnett County Clerk of Court; and by Deed recorded in Book 1136, Page 168, Harnett County Registry.

A map showing the above described property is recorded in Plat Book _____ 2005 _____ page 101.

Harnett County Planning Department

PO Box 65, Lillington, NC 27546

910-893-7527

 Environmental Health New Septic Systems Test**Environmental Health Code 800**

- Place "property flags" in each corner of lot. All property lines must be clearly flagged.
- Place "house corner flags" at each corner of where the house/manufactured home will sit. Use additional flagging to outline driveways, garages, decks, out buildings, swimming pools, etc.
- Place flags at locations as developed on site plan by Customer Service Technician and you.
- Place Environmental Health "orange" card in location that is easily viewed from road.
- *No grading of property should be done.* Undergrowth should be cleaned out to allow soil evaluation to be performed. Inspectors should be able to walk freely.
- After preparing proposed site call the voice permitting system at 910-893-7527 and give code **800** for Environmental Health confirmation. Please note confirmation number given at end of recording for proof of request.
- To hear results, call IVR in approx. 7-10 working days. Once approved, proceed to Central Permitting for permits.

 Environmental Health Existing Tank Inspections**Environmental Health Code 800**

- Place Environmental Health "orange" card in location that is easily viewed from road.
- Prepare for inspection by removing soil over door as diagram indicates. Loosen trap door cover. (Unless inspection is for a septic tank in a mobile home park)
- After preparing trapdoor call the voice permitting system at 910-893-7527 and give code **800** for Environmental Health confirmation. Please note confirmation number given at end of recording for proof of request.
- To hear results, call IVR in approx. 7-10 working days. Once approved, proceed to Central Permitting for permits.

 Health and Sanitation Inspections**Health and Sanitation Plan Review 826**

- After submitting plans for food and lodging, call the voice permitting system at 910-893-7527 and give code **826** for Health and Sanitation confirmation. Please note confirmation number given at end of recording for proof of request.
- To hear results, call IVR in approx. 7-10 working days. Once approved, proceed to Central Permitting for permits.

 Fire Marshal Inspections**Fire Marshall Plan Review Code 804**

- Call the voice permitting system at 910-893-7527 and give code **804** for plan review. Please note confirmation number given at end of recording for proof of request.
- To hear results, call IVR in approx 7-10 working days. Once approved, proceed to Central Permitting for permits.
- Pick up Fire Marshal's letter and place on job site until work is completed.

 Public Utilities

- Place stake with "orange" tape/name thirty feet (30) from the center of the road at the location you wish to have water tap installed.
- Allow four to six weeks after application for water/sewer taps. Call Utilities at 893-7575 for technical assistance.


 Building Inspections

- Call the voice permitting system at 910-893-7527 to schedule inspections. Please note confirmation number given at end of recording for proof of request.
- For new housing/set up permits must meet E 911 / Addressing guidelines prior to calling for final inspection.
- To hear results of inspections, call IVR after scheduled inspection is done.

 E911 Addressing**Addressing Confirmation Code 814**

- Address numbers shall be mounted on the house, 3 inches high (5" for commercial).
- Numbers must be a contrasting color from house, must be clearly visible night and day at entrance of driveway if home is 100 ft or more from road, or if mailbox is on opposite side of road.
- Once you purchase permits and footing inspection has been approved call the voice permitting system at 910-893-7527 and give code **814** for address confirmation. This must be called in even if you have contacted E911 for verbal confirmation.

 Customers can view all inspection results online at www.harnett.org.Applicant Signature: *Brian* Date: 10 / 30 / 06



OWNER/DEVELOPER
ATKINS PLACE, LLC
72 ONEBROOK COURT
ANGIER, NC 27501
919-639-7424

OWNER
ALVIN DOCKER O'BRYEN &
KIMBERLY B. HARROVE
1111 N. CLARK RD.
RIFLETON, NC 27577

OWNER
ALVIN DOCKER O'BRYEN &
KIMBERLY B. HARROVE
1111 N. CLARK RD.
RIFLETON, NC 27577

OWNER
ALVIN DOCKER O'BRYEN &
KIMBERLY B. HARROVE
1111 N. CLARK RD.
RIFLETON, NC 27577

DEPARTMENT OF TRANSPORTATION
DIVISION OF HIGHWAYS
CONSTRUCTION DIVISION
DATE: 2/14/2006

DEPARTMENT OF TRANSPORTATION
DIVISION OF HIGHWAYS
CONSTRUCTION DIVISION
DATE: 2/14/2006

DEPARTMENT OF TRANSPORTATION
DIVISION OF HIGHWAYS
CONSTRUCTION DIVISION
DATE: 2/14/2006

DEPARTMENT OF TRANSPORTATION
DIVISION OF HIGHWAYS
CONSTRUCTION DIVISION
DATE: 2/14/2006

DEPARTMENT OF TRANSPORTATION
DIVISION OF HIGHWAYS
CONSTRUCTION DIVISION
DATE: 2/14/2006

DEPARTMENT OF TRANSPORTATION
DIVISION OF HIGHWAYS
CONSTRUCTION DIVISION
DATE: 2/14/2006

DEPARTMENT OF TRANSPORTATION
DIVISION OF HIGHWAYS
CONSTRUCTION DIVISION
DATE: 2/14/2006

DEPARTMENT OF TRANSPORTATION
DIVISION OF HIGHWAYS
CONSTRUCTION DIVISION
DATE: 2/14/2006

DEPARTMENT OF TRANSPORTATION
DIVISION OF HIGHWAYS
CONSTRUCTION DIVISION
DATE: 2/14/2006

DEPARTMENT OF TRANSPORTATION
DIVISION OF HIGHWAYS
CONSTRUCTION DIVISION
DATE: 2/14/2006

DEPARTMENT OF TRANSPORTATION
DIVISION OF HIGHWAYS
CONSTRUCTION DIVISION
DATE: 2/14/2006

DEPARTMENT OF TRANSPORTATION
DIVISION OF HIGHWAYS
CONSTRUCTION DIVISION
DATE: 2/14/2006

DEPARTMENT OF TRANSPORTATION
DIVISION OF HIGHWAYS
CONSTRUCTION DIVISION
DATE: 2/14/2006

DEPARTMENT OF TRANSPORTATION
DIVISION OF HIGHWAYS
CONSTRUCTION DIVISION
DATE: 2/14/2006

DEPARTMENT OF TRANSPORTATION
DIVISION OF HIGHWAYS
CONSTRUCTION DIVISION
DATE: 2/14/2006

DEPARTMENT OF TRANSPORTATION
DIVISION OF HIGHWAYS
CONSTRUCTION DIVISION
DATE: 2/14/2006

DEPARTMENT OF TRANSPORTATION
DIVISION OF HIGHWAYS
CONSTRUCTION DIVISION
DATE: 2/14/2006

DEPARTMENT OF TRANSPORTATION
DIVISION OF HIGHWAYS
CONSTRUCTION DIVISION
DATE: 2/14/2006