

Improvement Permit

A building permit cannot be issued with only an Improvement Permit

ISSUED TO: H9H Const. PROPERTY LOCATION: 1125
 SUBDIVISION: FOREST OAKS LOT # 105

NEW REPAIR EXPANSION Site Improvements required prior to Construction Authorization Issuance:

Type of Structure: SFD-50x61-3BR

Proposed Wastewater System Type: Pump to ultra shallow

Projected Daily Flow: 360 GPD 25% Red. system

Number of bedrooms: 3 Number of Occupants: 6 max

Basement Yes No

Pump Required: Yes No May be required based on final location and elevations of facilities

Type of Water Supply: Community Public Well Distance from well _____ feet Permit valid for: Five years

Permit conditions: Meet onsite for final layout maintain all setbacks No expiration

Install 1x300 of 25% reduction system at 12" depth. Must bring 8 to 12" 1

Approved cover soil keep drain line 15' from septic supply nearest property line

Authorized State Agent: [Signature] Date: 02-14-07 SEE ATTACHED SITE SKETCH

The issuance of this permit by the Health Department in no way guarantees the issuance of other permits. The permit holder is responsible for checking with appropriate governing bodies in meeting their requirements. This site is subject to revocation if the site plan, plat, or the intended use changes. The Improvement Permit shall not be affected by a change in ownership of the site. This permit is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to conditions of this permit.

Construction Authorization

(Required for Building Permit)

The construction and installation requirements of Rules .1950, .1952, .1954, .1955, .1956, .1957, .1958, and .1959 are incorporated by references into this permit and shall be met. Systems shall be installed in accordance with the attached system layout.

ISSUED TO: H9H Const. PROPERTY LOCATION: 1125
 SUBDIVISION: FOREST OAKS LOT # 105

Facility Type: SFD-50x61-3BR New Expansion Repair

Basement? Yes No Basement fixtures? Yes No

Type of Wastewater System** Pump to ultra shallow (Initial) Wastewater Flow: 360 GPD

(See note below, if applicable 25% Reduction system)

off site to 480 LF of LPP (Repair)

Installation Requirements/Conditions

Septic Tank Size 1000 gallons Exact length of each trench 1x300 feet Trench Spacing: 9 Feet on Center

Pump Tank Size 1000 gallons Trenches shall be installed on contour at a Soil Cover: 6 inches

Maximum Trench Depth of: 12" max inches (Maximum soil cover shall not exceed

(Trench bottoms shall be level to +/-1/4" 36" above the trench bottom)

in all directions)

Pump Requirements: _____ ft. TDH vs. _____ GPM _____ inches below pipe

Aggregate Depth: _____ inches above pipe

Conditions: _____ inches total

**If applicable: I understand the system type specified is different from the type specified on the application. I accept the specifications of this permit.

Owner/Legal Representative Signature: _____ Date: _____

This Construction Authorization is subject to revocation if the site plan, plat, or the intended use changes. The Construction Authorization shall not be transferred when there is a change in ownership of the site. This Construction Authorization is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to the conditions of this permit.

SEE ATTACHED SITE SKETCH

Authorized State Agent: [Signature] Date: 02-14-07

Construction Authorization Expiration Date: 02-14-2012

HTE# 06-50016302R

Permit # 23658

Harnett County Department of Public Health Site Sketch

ISSUED TO: H&H Const.

PROPERTY LOCATOR: 1125

SUBDIVISION FOREST OAKS

LOT # 105

Authorized State Agent: [Signature]

Date: 02-14-07

Meet onsite for Final Layout

MAINTAIN ALL SETBACKS

Install 1x300 of 2 1/2% Red. g.
at 12" Deep

Bring in 8 to 12" of approved
cover

Keep drain lines 15' from
Rear Property Line

