

HTE# 07-5-16506 Home **Harnett County Department of Public Health** **24033**
16507 GARAGE

Improvement Permit

A building permit cannot be issued with only an Improvement Permit

ISSUED TO: J Percy Whitten PROPERTY LOCATION: SR 1703 RED HILL CH RD
 NEW REPAIR EXPANSION SUBDIVISION: CANEMELL EST LOT # 25
 Type of Structure: SFD Site Improvements required prior to Construction Authorization Issuance:
 Proposed Wastewater System Type: 25% REDUCTION SYSTEM
 Projected Daily Flow: 380 GPD
 Number of bedrooms: 4 Number of Occupants: 8 max
 Basement Yes No
 Pump Required: Yes No May be required based on final location and elevations of facilities
 Type of Water Supply: Community Public Well Distance from well _____ feet Permit valid for: Five years
 Permit conditions: _____ No expiration

Authorized State Agent: James E Markant Date: 1-23-07 SEE ATTACHED SITE SKETCH
 The issuance of this permit by the Health Department in no way guarantees the issuance of other permits. The permit holder is responsible for checking with appropriate governing bodies in meeting their requirements. This site is subject to revocation if the site plan, plat, or the intended use changes. The Improvement Permit shall not be affected by a change in ownership of the site. This permit is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to conditions of this permit.

Construction Authorization

(Required for Building Permit)

The construction and installation requirements of Rules .1950, .1952, .1954, .1955, .1956, .1957, .1958, and .1959 are incorporated by references into this permit and shall be met. Systems shall be installed in accordance with the attached system layout.

ISSUED TO: J Percy Whitten PROPERTY LOCATION: SR 1703 RED HILL CH RD
 SUBDIVISION: CANEMELL ESTATES LOT # 25
 Facility Type: SFD New Expansion Repair
 Basement? Yes No Basement Fixtures? Yes No
 Type of Wastewater System** 25% REDUCTION SYSTEM (Initial) Wastewater Flow: 480 GPD
 (See note below, if applicable
25% REDUCTION SYSTEM / LPP (Repair)

Installation Requirements/Conditions

Septic Tank Size <u>1200</u> gallons	Exact length of each trench <u>3x 120</u> feet	Trench Spacing: <u>9</u> Feet on Center
Pump Tank Size _____ gallons	Trenches shall be installed on contour at a	Soil Cover: <u>6</u> inches
	Maximum Trench Depth of: <u>24</u> inches	(Maximum soil cover shall not exceed
	(Trench bottoms shall be level to +/- 1/4" in all directions)	36" above the trench bottom)
Pump Requirements: _____ ft. TDH vs. _____ GPM		<u>6</u> inches below pipe
		Aggregate Depth: <u>2</u> inches above pipe
Conditions: _____		<u>12</u> inches total

**If applicable: I understand the system type specified is different from the type specified on the application. I accept the specifications of this permit.

Owner/Legal Representative Signature: _____ Date: _____

This Construction Authorization is subject to revocation if the site plan, plat, or the intended use changes. The Construction Authorization shall not be transferred when there is a change in ownership of the site. This Construction Authorization is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to the conditions of this permit.

Authorized State Agent: James E Markant Date: 1-23-07 SEE ATTACHED SITE SKETCH
 Construction Authorization Expiration Date: 1-23-12

07-5-16506 Home

HTE# 07-5-16507 GARAGE

Permit # 24033

Harnett County Department of Public Health Site Sketch

PROPERTY LOCATOR: 501703 RED HILL CH RD

ISSUED TO: J Percy Whetterton

SUBDIVISION: CANNONELL ESTATES

LOT # 25

Authorized State Agent: James E. Martin

Date: 1-23-07

