

Initial Application Date: 1.16.07 - will be renewed on July 16th Application # 07-50016594

COUNTY OF HARNETT LAND USE APPLICATION
Central Permitting 102 E. Front Street, Lillington, NC 27546 Phone: (910) 893-4759 Fax: (910) 893-2793

LANDOWNER: Willie Junior Lassiter Mailing Address: 253 Norrington Rd.
City: Lillington State: N.C. Zip: 27546 Phone #: 910-514-2993
APPLICANT: Willie Junior Lassiter Mailing Address: 253 Norrington Rd.
City: Lillington State: N.C. Zip: 27546 Phone #: 910-514-2993

PROPERTY LOCATION: SR #: 1130 SR Name: Norrington Road
Address: _____

Parcel: 13.0528.0022.03 PIN: 0528.62.0399
Zoning: RH30 Subdivision: Norriton Lot #: 1 Lot Size: .78AC.
Flood Plain: NO Panel: N/A Watershed: _____ Deed Book/Page: 1383.478 Plat Book/Page: 99.128

DIRECTIONS TO THE PROPERTY FROM LILLINGTON: 7 miles on highway 27, turn left on Norrington Rd. and go one quarter mile property on Left

PROPOSED USE:

- ☒ Sg. Family Dwelling (Size 30x80) # of Bedrooms 5 # Baths 3 Basement (w/w bath) _____ Garage _____ Deck _____
- ☐ Multi-Family Dwelling No. Units _____ No. Bedrooms/Unit _____
- ☐ Manufactured Home (Size _____ x _____) # of Bedrooms _____ Garage _____ Deck _____
- ☐ Number of persons per household _____
- ☐ Business Sq. Ft. Retail Space _____ Type _____
- ☐ Industry Sq. Ft. _____ Type _____
- ☐ Church Seating Capacity _____ Kitchen _____
- ☐ Home Occupation (Size _____ x _____) # Rooms _____ Use _____
- Additional Information: _____
- ☐ Accessory Building (Size _____ x _____) Use _____
- ☐ Addition to Existing Building (Size _____ x _____) Use _____
- ☐ Other _____

Additional Information: _____

Water Supply: ☒ County ☐ Well (No. dwellings _____) ☐ Other _____ Environmental Health Site Visit Date: _____

Sewage Supply: ☐ New Septic Tank ☒ Existing Septic Tank ☐ County Sewer ☐ Other _____

Erosion & Sedimentation Control Plan Required? YES ☒ NO ☐

Property owner of this tract of land own land that contains a manufactured home w/in five hundred feet (500') of tract listed above? YES ☒ NO ☐

Structures on this tract of land: Single family dwellings 1 Manufactured homes _____ Other (specify) _____

Required Residential Property Line Setbacks: proposed Minimum Actual

Front	<u>35</u>	<u>100'</u>
Rear	<u>25</u>	<u>55'</u>
Side	<u>10</u>	<u>15'</u>
Corner	<u>20</u>	<u>_____</u>
Nearest Building	<u>10</u>	<u>_____</u>

If permits are granted I agree to conform to all ordinances and the laws of the State of North Carolina regulating such work and the specifications or plans submitted. I hereby swear that the foregoing statements are accurate and correct to the best of my knowledge.


Signature of Owner or Owner's Agent: Willie J. Lassiter Date: 8-31-2005

This application expires 6 months from the initial date if no permits have been issued

A RECORDED SURVEY PLAT AND RECORDED DEED ARE REQUIRED WHEN APPLYING FOR A LAND USE APPLICATION

Site Plan

7/9 S



JURISDICTION

owner(s) or agent of the
I (we) hereby adopt this plan
to establish the minimum building
walks, parks, and other
as noted, and all of the land
in jurisdiction of Harnett

Lambert

HARNETT COUNTY HEALTH DEPARTMENT
ENVIRONMENTAL HEALTH SECTION

No 14801

OPERATIONS PERMIT

Name: (owner) Willie Lanier/Lola Bryant ☒ New Installation ☒ Septic Tank
Property Location: SR# 1130 ☐ Repairs ☒ Nitrification Line
Subdivision McNall Aves Lot # 1
TAX ID# _____ Quadrant # _____
Contractor: Faircloth Registration # _____
Basement with Plumbing: ☐ Garage: ☐
Water Supply: ☐ Well ☒ Public ☐ Community
Distance From Well: 50 ft.

Following are the specifications for the sewage disposal system on above captioned property.

Type of system: ☒ Conventional ☐ Other _____
Size of tank: Septic Tank: 1000 gallons Pump Tank: _____ gallons
Subsurface No. of _____ exact length _____ width of _____ depth of _____
Drainage Field ditches _____ of each ditch _____ ft. ditches _____ ft. ditches _____ in.
French Drain: _____ Linear feet


PERMIT NO. 16570

Date: 16 Nov 99

Inspected by: Verna Dodge

Environmental Health Specialist

Contractor dig pits to verify our application



HARNETT COUNTY HEALTH DEPARTMENT

IMPROVEMENT PERMIT

No 16570

Be it ordained by the Harnett County Board of Health as follows: Section III, Item B. "No Person shall begin construction of any building at which a septic tank system is to be used for disposal of sewage without first obtaining a written permit from the Harnett County Health Department."

Name: (owner) Willie Lassiter / Lola Bryant

☒ New Installation

☒ Septic Tank

Property Location: SR# 1130 Womington

☐ Repairs

☒ Nitrification Line

Subdivision M-S Well Acres

Lot # 1

Tax ID # _____

Quadrant # _____

Number of Bedrooms Proposed: Three

Lot Size: _____

Basement with Plumbing: ☐

Garage: ☐

Water Supply: ☐ Well

☒ Public

☐ Community

Distance From Well: _____ ft.

Following is the minimum specifications for sewage disposal system on above captioned property. Subject to final approval.

Type of system: ☒ Conventional

☐ Other _____

Size of tank:

Septic Tank: 1000 gallons

Pump Tank: _____ gallons

Subsurface

No. of

Drainage Field

ditches 3

exact length
of each ditch 70

ft.

width of 3

depth of 12

ft. ditches 12 in.

French Drain Required: _____ Linear feet

Date: 02 November 1999

Signed: Vernon R. Raley

Environmental Health Specialist

This permit is subject to revocation if site plans or intended use change.

* Contractor must meet on-site prior to installation.

* 6" cover required

* markers & filters required.

