

Owner:

Applicant:

Address:

Date Evaluated:

Proposed Facility: 2 Bedroom

Design Flow (.1949): 2240

Property Size:

Location of Site:

Property Recorded:

Water Supply: ☒ Public ☐ Individual

☐ Well

[] Spring

☐ Other

Evaluation Method: ☒ Auger Boring

[] Pit

☐ Cut

Type of Wastewater: ☒ Sewage

☐ Industrial Process

☐ Mixed

[illegible]

Description	Initial System	Repair System
Available Space (.1945)	✓	✓
System Type(s)	SS ² , 250	SS², 250 or
Site LTAR	.5	.5

Other Factors (.1946): _____

Site Classification (.1948): PS

Evaluated By: 

Others Present: BM

COMMENTS: _____

LANDSCAPE POSITIONS	GROUP	TEXTURES	.1955 LTAR	CONSISTENCE MOIST	WET
R-RIDGE	I	S-SAND	1.2 - 0.8	VFR-VERY FRIABLE	NS-NON-STICKY
S-SHOULDER SLOPE		LS-LOAMY SAND			SS-SLIGHTLY STICKY
L-LINEAR SLOPE	II	SL-SANDY LOAM	0.8 - 0.6	FR-FRIABLE	S-STICKY
FS-FOOT SLOPE		L-LOAM		FI-FIRM	VS-VERY STICKY
N-NOSE SLOPE	III	SI-SILT-	0.6 - 0.3	VFI-VERY FIRM	NP-NON-PLASTIC
H-HEAD SLOPE		SIL-SILT LOAM		EFI-EXTREMELY FIRM	SP-SLIGHTLY STICKY
CC-CONCLAVE SLOPE		CL-CLAY LOAM			P-PLASTIC
CV-CONVEX SLOPE		SCL-SANDY CLAY LOAM			VP-VERY PLASTIC
T-TERRACE		SICL-SILTY CLAY LOAM			
FP-FLOOD PLAN	IV	SIC-SILTY CLAY	0.4 - 0.1		
		C-CLAY			
		SC-SANDY CLAY			

STRUCTURE

SG-SINGLE GRAIN
M-MASSIVE
CR-CRUMB
GR-GRANULAR
SBK-SUBANGULAR BLOCKY
ABK-ANGULAR BLOCKY
PL-PLATY
PR-PRISMATIC

MINERALOGY

SLIGHTLY EXPANSIVE

EXPANSIVE

Show profile locations and other site features (dimensions, reference or benchmark, and North).

