

HTE# 07-5-16990

Harrison County Department of Public Health

23498

Improvement Permit

A building permit cannot be issued with only an Improvement Permit

ISSUED TO: Michael Shriever PROPERTY LOCATION: SR 1415 Lamb Church
 SUBDIVISION: Wyndham Place Pt 2 LOT # 1
 NEW REPAIR EXPANSION Site Improvements required prior to Construction Authorization Issuance:
 Type of Structure: SFD 52X56
 Proposed Wastewater System Type: Accepted System
 Projected Daily Flow: 360 GPD
 Number of bedrooms: 3 Number of Occupants: 6 max
 Basement Yes No
 Pump Required: Yes No May be required based on final location and elevations of facilities
 Type of Water Supply: Community Public Well Distance from well _____ feet Permit valid for: Five years
 No expiration
 Permit conditions: _____

Authorized State Agent: Bryan M. Swain, R.S. Date: 6/7/2007 SEE ATTACHED SITE SKETCH
 The issuance of this permit by the Health Department in no way guarantees the issuance of other permits. The permit holder is responsible for checking with appropriate governing bodies in meeting their requirements. This site is subject to revocation if the site plan, plat, or the intended use changes. The Improvement Permit shall not be affected by a change in ownership of the site. This permit is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to conditions of this permit.

Construction Authorization

(Required for Building Permit)

The construction and installation requirements of Rules .1950, .1952, .1954, .1955, .1956, .1957, .1958, and .1959 are incorporated by references into this permit and shall be met. Systems shall be installed in accordance with the attached system layout.

ISSUED TO: Michael Shriever PROPERTY LOCATION: SR 1415
 SUBDIVISION: Wyndham Place Pt 2 LOT # 1
 Facility Type: SFD 52X56 New Expansion Repair
 Basement? Yes No Basement Fixtures? Yes No
 Type of Wastewater System** At Grade Accepted System (Initial) Wastewater Flow: _____ GPD
 (See note below, if applicable
Drip Irrigation w/ no pretreatment (Repair)

Installation Requirements/Conditions

Septic Tank Size 1000 gallons Exact length of each trench 300 feet Trench Spacing: 9 Feet on Center
 Pump Tank Size _____ gallons Trenches shall be installed on contour at a Soil Cover: 6 inches min.
 Maximum Trench Depth of: 12 inches (Maximum soil cover shall not exceed
 (Trench bottoms shall be level to +/-1/4" 36" above the trench bottom)
 in all directions)
 Pump Requirements: _____ ft. TDH vs. _____ GPM _____ inches below pipe
 Aggregate Depth: _____ inches above pipe
 Conditions: Drain line to be run on contour; IF fall from septic tank
can not be achieved & ditch depth maintained a pump will be required _____ inches total

**If applicable: I understand the system type specified is different from the type specified on the application. I accept the specifications of this permit.

Owner/Legal Representative Signature: _____ Date: _____

This Construction Authorization is subject to revocation if the site plan, plat, or the intended use changes. The Construction Authorization shall not be transferred when there is a change in ownership of the site. This Construction Authorization is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to the conditions of this permit.

Authorized State Agent: Bryan M. Swain, R.S. Date: 6/7/2007 SEE ATTACHED SITE SKETCH
 Construction Authorization Expiration Date: 6/7/2012

HTE# 07-5-16990


Permit # 23495

Harnett County Department of Public Health Site Sketch

ISSUED TO: Michael Shriever PROPERTY LOCATOR: SR1415 Lewis Church Rd
SUBDIVISION Wynham Place Pt 2 LOT # 1

Authorized State Agent: Ben McSwain, P.S. Date: 6/7/2007

*Contractor to meet on-site prior to installing septic system



Repair Area is split into two areas + is Drip Irrigation w/out pretreatment (3600 ft²)