

SOIL/SITE EVALUATION for ON-SITE WASTEWATER SYSTEM

Owner:

Applicant:

Address:

Date Evaluated:

Proposed Facility: 3 Bedroom HOME Design Flow (.1949): 360 gpd

Property Size:

Location of Site:

Property Recorded:

Water Supply: ☒ Public ☐ Individual ☐ Well

[] Spring

☐ Other

Evaluation Method: ☒ Auger Boring ☐ Pit

[] Cut

Type of Wastewater: ☒ Sewage ☐ Industrial Process

☐ Mixed

[illegible]

Description	Initial System	Repair System
Available Space (.1945)	✓	✓
System Type(s)	CON	CON
Site LTAR	.5	.5

Other Factors (.1946):

Site Classification (.1948): *RS*

Evaluated By: 

Others Present: _____


COMMENTS: _____


LANDSCAPE POSITIONS	GROUP	TEXTURES	.1955 LTAR	CONSISTENCE MOIST	WET
R-RIDGE	I	S-SAND	1.2 - 0.8	VFR-VERY FRIABLE FR-FRIABLE FI-FIRM VFI-VERY FIRM EFI-EXTREMELY FIRM	NS-NON-STICKY SS-SLIGHTLY STICKY S-STICKY VS-VERY STICKY NP-NON-PLASTIC SP-SLIGHTLY STICKY P-PLASTIC VP-VERY PLASTIC
S-SHOULDER SLOPE		LS-LOAMY SAND			
L-LINEAR SLOPE					
FS-FOOT SLOPE	II	SL-SANDY LOAM	0.8 - 0.6		
N-NOSE SLOPE		L-LOAM			
H-HEAD SLOPE					
CC-CONCLAVE SLOPE	III	SI-SILT-	0.6 - 0.3		
CV-CONVEX SLOPE		SIL-SILT LOAM			
T-TERRACE		CL-CLAY LOAM			
FP-FLOOD PLAN	IV	SCL-SANDY CLAY LOAM	0.4 - 0.1		
		SICL-SILTY CLAY LOAM			
		SIC-SILTY CLAY			
		C-CLAY			
		SC-SANDY CLAY			

STRUCTURE
 SG-SINGLE GRAIN
 M-MASSIVE
 CR-CRUMB
 GR-GRANULAR
 SBK-SUBANGULAR BLOCKY
 ABK-ANGULAR BLOCKY
 PL-PLATY
 PR-PRISMATIC

MINERALOGY
 SLIGHTLY EXPANSIVE
 EXPANSIVE

Show profile locations and other site features (dimensions, reference or benchmark, and North).





1=100

MARY M. CALCUTT
D.B. 1880, PG. 954
LOT 2
P.C. E, SL. 28-A

WILLIAM K. POPE
D.B. 1689, PG. 481
P.C. F, SL. 761-A

TRACT 1A
3.17 AC.

CYNTHIA L. H
D.B. 1751, F
TRACT
MAP # 2002

TRACT 1B
6.81 AC.

SITE PLAN APPROVAL
DISTRICT RAV/CR USE SFD
#BEDROOMS 3
3-27-07 Dawn Johnson
ZONING ADMINISTRATOR

Harnet
Plat I
NOT I
Water
2 6"
Signature

JOSEPH L. SWANI
D.B. 1301, PG. 8
TRACT 4
MAP # 98-437

JACK P. HOWARD
D.B. 755, PG. 703

GEORGE GILCHRIST
D.B. 1784, PG. 210

0 100 200 300