HTE# 07-5-1748/R

## Harnett County Department of Public Health

Improvement Permit

26696

A building permit cannot be issued with only an Improvement Permit PROPERTY LOCATION: TINEEN CO ISSUED TO: ISRAEL LUCAS SUBDIVISION PATTONS POINT NEW 🔀 REPAIR 🗆 EXRANSION 🗆 Site Improvements required prior to Construction Authorization Issuance: Type of Structure: SFO (40×37)

Proposed Wastewater System Type: 25% REDUCTION SYSTEM Projected Daily Flow: 360 GPD Number of bedrooms: 3 Number Number of Occupants: 6 max Basement Yes Pump Required: ☐Yes ► No ☐ May be required based on final location and elevations of facilities Type of Water Supply: 

Community Public Well Distance from well 100 feet Permit valid for: ✓ Five years Permit conditions: ☐ No expiration RGMS Authorized State Agent:: Date: 8/15/11 The issuance of this permit by the Health Department in no way guarantees the issuance of other permits. The permit holder is responsible for checking with appropriate governing bodies in meeting their requirements. This site is subject to revocation if the site plan, plat, or the intended use changes. The Improvement Permit shall not be affected by a change in ownership of the site. This permit is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to conditions of this permit.. Construction Authorization (Required for Building Permit) The construction and installation requirements of Rules .1950, .1952, .1954, .1955, .1956, .1957, .1958. and .1959 are incorporated by references into this permit and shall be met. Systems shall be installed in accordance with the attached system layout. ISSUED TO: ISRAEL LUCAS PROPERTY LOCATION: TINCEN RO
SUBDIVISION PATTONS POINT Facility Type: SEO(40737) New Expansion Repair Basement Fixtures? 

Yes XNo

25% REDUCTION SYSTEM (Initial) Wastewater Flow: 360 GPD Basement? Yes No Type of Wastewater System\*\* (See note below, if applicable □) 2540 REDUCTION SYSTEM (Repair) Number of trenches \_\_\_\_\_l **Installation Requirements/Conditions** Exact length of each trench 120 feet Trench Spacing: 9 Feet on Center Trenches shall be installed on contour at a Soil Cover: 12-18 inches Septic Tank Size 1000 gallons Trenches shall be installed on contour at a Pump Tank Size gallons Maximum Trench Depth of: 34-30 inches (Maximum soil cover shall not exceed (Trench bottoms shall be level to +/-1/4" 36" above the trench bottom) in all directions) Pump Requirements: \_\_\_\_\_ ft. TDH vs. GPM \_\_\_\_\_ inches below pipe Aggregate Depth: \_\_\_\_\_\_ inches above pipe inches total WATER LINES (INCLUDING IRRIGATION) MUST BE 10FT. FROM ANY PART OF SEPTIC SYSTEM OR REPAIR AREA. NO UTILITIES ALLOWED IN INITIAL OR REPAIR DRAIN FIELD AREA. \*\*If applicable: I understand the system type specified is different from the type specified on the application. I accept the specifications of this permit. Owner/Legal Representative Signature: This Construction Authorization is subject to resocation if the Site plan, plat, or the intended use changes. The Construction Authorization shall not be transferred when there is a change in ownership of the site. This Construction Authorization subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to the conditions of this permit.

SEE ATTACHED SITE SKETCH Authorized State Agent: Construction Authorization Expiration Date:

HTE#	70	-5-	17	48	18	2
------	----	-----	----	----	----	---

Permit # 2696

## Harnett County Department of Public Health Site Sketch

	PROPERTY LOCATON: TINGEN RO	
ISSUED TO: ISRAEL LUCAS	SUBDIVISION PATTONS POINT	LOT # 69.
Authorized State Agent:	AS (DENGE TOLKSDORS) Date: 8/15/11	

