

HTE# 07-50018723R Harn

County Department of Public Health

23560

Improvement Permit

A building permit cannot be issued with only an Improvement Permit

ISSUED TO: Cumberland Home

PROPERTY LOCATION: 1210
SUBDIVISION Per Simmon Hill LOT # 75

NEW REPAIR EXPANSION

Site Improvements required prior to Construction Authorization Issuance:

Type of Structure: SFD-55x38 3BR

Proposed Wastewater System Type: 25% Reduction system

Projected Daily Flow: 360 GPD

Number of bedrooms: 3 Number of Occupants: 6 max

Basement Yes No

Pump Required: Yes No May be required based on final location and elevations of facilities

Type of Water Supply: Community Public Well Distance from well 50 feet

Permit valid for: Five years

Permit conditions: Meet onsite for final layout. Stud out plumbing shallow, at ground level or higher where shown

No expiration

Authorized State Agent: Jon Wear

Date: 11-15-07

SEE ATTACHED SITE SKETCH

The issuance of this permit by the Health Department in no way guarantees the issuance of other permits. The permit holder is responsible for checking with appropriate governing bodies in meeting their requirements. This site is subject to revocation if the site plan, plat, or the intended use changes. The Improvement Permit shall not be affected by a change in ownership of the site. This permit is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to conditions of this permit.

Construction Authorization

(Required for Building Permit)

The construction and installation requirements of Rules .1950, .1952, .1954, .1955, .1956, .1957, .1958, and .1959 are incorporated by references into this permit and shall be met. Systems shall be installed in accordance with the attached system layout.

ISSUED TO: Cumberland Home

PROPERTY LOCATION: 121
SUBDIVISION Per Simmon Hill LOT # 75

Facility Type: SFD-55x38 3BR New

Expansion Repair

Basement? Yes No Basement Fixtures? Yes No

Type of Wastewater System** 25% Reduction system (Initial)

Wastewater Flow: 360 GPD

(See note below, if applicable)

480 LF of LPP (Repair)

Installation Requirements/Conditions

Septic Tank Size 1000 gallons

Exact length of each trench 1x300 feet

Trench Spacing: 9 Feet on Center

Pump Tank Size _____ gallons

Trenches shall be installed on contour at a Maximum Trench Depth of: 18 inches (Trench bottoms shall be level to +1/4" in all directions)

Soil Cover: 6 inches (Maximum soil cover shall not exceed 36" above the trench bottom)

Pump Requirements: _____ ft. TDH vs. _____ GPM

Aggregate Depth: _____ inches below pipe _____ inches above pipe

Conditions: _____ inches total

**If applicable: *I understand the system type specified is different from the type specified on the application. I accept the specifications of this permit.*

Owner/Legal Representative Signature: _____ Date: _____

This Construction Authorization is subject to revocation if the site plan, plat, or the intended use changes. The Construction Authorization shall not be transferred when there is a change in ownership of the site. This Construction Authorization is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to the conditions of this permit.

SEE ATTACHED SITE SKETCH

Authorized State Agent: Jon Wear

Date: 11-15-07


Construction Authorization Expiration Date: 11-15-2012

HTE# 07-50018723R

Permit # 23560

Harnett County Department of Public Health Site Sketch

ISSUED TO: Cumberland Home PROPERTY LOCATOR: 1210
 SUBDIVISION: Per simon Hill LOT # 75
 Authorized State Agent: Ju L... Date: 11-15-07



STUB OUT
 Plumbing shallow
 At ground level
 or higher where
~~shown~~ shown
 MAINTAIN ALL
 SET BACK,
 2
 24
 Install 1x300
 of 25% Reduction
 system at 18"