HTE# 08-5-19160R

Harnett County Department of Public Health

Improvement Permit

26354

A building permit cannot be issued with only an Improvement Permit PROPERTY LOCATION: NC 2105 ISSUED TO: RBC Homes Inc SUBDIVISION GWEN DAKS REPAIR 🗆 EXPANSION 🗆 Site Improvements required prior to Construction Authorization Issuance: Type of Structure: <u>560</u> (397 1/30) Proposed Wastewater System Type: Pume To 25%. REDUCTION Projected Daily Flow: 360 GPD Number of bedrooms: _ Number of Occupants: Basement Tyes Pump Required: Yes □ No ☐ May be required based on final location and elevations of facilities Type of Water Supply:

Community

Public

Well Distance from well 100 feet Permit valid for: Five years ☐ No expiration Authorized State Agent:

Date: 1) 2 10

SEE ATTACHED SITE SKETCH

The issuance of this permit by the Health Department in no way guarantees the issuance of other permits. The permit holder is responsible for checking with appropriate governing bodies in meeting their requirements. This site is subject to revocation if the site plan, plat, or the intended use changes. The Improvement Permit shall not be affected by a change in ownership of the site. This permit is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to conditions of this permit. Construction Authorization (Required for Building Permit) The construction and installation requirements of Rules .1950, .1952, .1954, .1955, .1956, .1957, .1958. and .1959 are incorporated by references into this permit and shall be met. Systems shall be installed in accordance ISSUED TO: RBC HOMES INC PROPERTY LOCATION: NC2705 Facility Type: SFD(391×301) Mew Expansion Repair SUBDIVISION GWEN DAKS LOT # 5 Basement? ☐ Yes ⋈ No Basement Fixtures? ☐ Yes ⋈ No PUMP TO 25% REDUCTION SYSTEM (Initial) Wastewater Flow: 360 GPD Type of Wastewater System** (See note below, if applicable []) PUMPTO 25% REDUCTION (Repair) Installation Requirements/Conditions Number of trenches 2 Septic Tank Size 1000 Exact length of each trench 125 feet Trench Spacing: _____ Feet on Center gallons Pump Tank Size 1000 Trenches shall be installed on contour at a Soil Cover: 6-8 inches Maximum Trench Depth of: 18-20 inches (Maximum soil cover shall not exceed (Trench bottoms shall be level to +/-1/4" 36" above the trench bottom) in all directions) Pump Requirements: _____ft. TDH vs. ____ GPM _____ inches below pipe Conditions: THIS PERMY BROED ON A PROPOSAL FROM A LOS. MEET OU Aggregate Depth: ______ inches above pipe SITE POLIOR TO INSTALLATION TO VERIFY SYSTEM LAYOUT. WATER LINES (INCLUDING IRRIGATION) MUST BE 10FT. FROM ANY PART OF SEPTIC SYSTEM OR REPAIR AREA. NO UTILITIES ALLOWED IN INITIAL OR REPAIR DRAIN FIELD AREA. **If applicable: I understand the system type specified is different from the type specified on the application. I accept the specifications of this permit. Owner/Legal Representative Signature: This Construction Authorization is subject to revocation if the site plan, plat, or the intended use changes. The Construction Authorization shall not be transferred when there is a change in ownership of the site. This Construction Authorization is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to the conditions of this permit. SEE ATTACHED SITE SKETCH Authorized State Agent:

Construction Authorization Expiration Date:

Permit # <u>26354</u>

Harnett County Department of Public Health Site Sketch



