HTE# 08-5-19283

Harnest County Department of Public nealth 24525

Improvement Permit

A building permit cannot be issued with only an Improvement Permit
ISSUED TO: LANCE & ALLISON DELONG SUBDIVISION M. CLEAN CHAREL CHURCH RD
ISSUED TO: LANCE & ALLISON DELONG SUBDIVISION
Type of Structure: SFD (65'×85')
Proposed Wastewater System Type: CONVENTIONAL
Projected Daily Flow: 480 GPD
Number of bedrooms: Number of Occupants: 8max
Basement 🗆 Yes 🔀 No
Pump Required: Yes No May be required based on final location and elevations of facilities
Type of Water Supply: Community Public Well Distance from well feet Permit valid for: No expiration
Authorized State Agent: Date: 2/13/08 SEE ATTACHED SITE SKETCH
The issuance of this permit by the Health Department in no way guarantees the issuance of other permits. The permit holder is responsible for checking with appropriate governing bodies in meeting
their requirements. This site is subject to revocation if the site plan, plat, or the intended use changes. The Improvement Permit shall not be affected by a change in ownership of the site. This
permit is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to conditions of this permit.
Construction Authorization
(Required for Building Permit)
The construction and installation requirements of Rules .1950, .1952, .1954, .1955, .1956, .1957, .1958. and .1959 are incorporated by references into this permit and shall be met. Systems shall be
installed in accordance with the attached system layout.
ISSUED TO: LANCE PROPERTY LOCATION: MCLEAN CHIAPEL CHURCH &
SUBDIVISIONLOT #
Facility Type: SFD (65'785') New Expansion Repair
Basement? Yes No Basement Fixtures? Yes No
Type of Wastewater System** Convention PL (Initial) Wastewater Flow: 480 GPD
(See note below, if applicable \square)
CONVENTIONAL (Repair)
Installation Requirements/Conditions 3 TRENCHES
Septic Tank Size 1000 gallons Exact length of each trench feet Trench Spacing: 1 Feet on Center
Pump Tank Size gallons Trenches shall be installed on contour at a Soil Cover: inches
Maximum Trench Depth of: 27 inches (Maximum soil cover shall not exceed
(Trench bottoms shall be level to +/-1/4" 36" above the trench bottom)
in all directions)
Pump Requirements:ft. TDH vs GPM inches below pipe Aggregate Depth: inches above pipe inches above pipe
Aggregate Depth: inches above pipe
Conditions: inches total
**If applicable: I understand the system type specified is different from the type specified on the application. I accept the specifications of this permit.
Owner/Legal Representative Signature: Date:
This Construction Authorization is subject to revocation if the site plan, plat, or the intended use changes. The Construction Authorization shall not be transferred when there is a change in ownership
of the site. This Construction Authorization is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to the conditions of this permit.
SEE ATTACHED SITE SKETCH
Authorized State Agent: Date: 2 13 88
Authorized State Agent: Date: 2 13 88 Construction Authorization Expiration Date: 2 13 13

Harnett County Department of Public Health Site Sketch

