HTE# 08-500-19483 Harnet County Department of Public health 24663

A building permit cannot be issued with only an Improvement Permit Showcase Const. PROPERTY LOCATION: 1141

Subdivision The Summ.7 LOT # 52 REPAIR 🗆 Site Improvements required prior to Construction Authorization Issuance: Type of Structure: SFD-63x58- 4BR Proposed Wastewater System Type: 25% Roduction System Projected Daily Flow: 480 GPD Number of bedrooms: __ Number of Occupants: Basement TYes ₩ No No May be required based on final location and elevations of facilities Pump Required: ☐Yes Type of Water Supply:
Community & Public | Well Distance from well 50 feet | Permit valid for: X Five years |
Permit conditions: 5708 O-t Clumbing Shallow at ground level on higher | No expiration |
Where Shows maintain All Set Backs - Meet ons to for Final Layort Authorized State Agent:

Date: 3-12-58

SEE ATTACHED SITE SKETCH

The issuance of this permit by the Health Department in no way guarantees the issuance of other permits. The permit holder is responsible for checking with appropriate governing bodies in meeting their requirements. This site is subject to revocation if the site plan, plat, or the intended use changes. The Improvement Permit shall not be affected by a change in ownership of the site. This permit is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to conditions of this permit. Construction Authorization (Required for Building Permit) The construction and installation requirements of Rules .1950, .1952, .1954, .1955, .1956, .1957, .1958, and .1959 are incorporated by references into this permit and shall be met. Systems shall be installed in accordance with the attached system layout. PROPERTY LOCATION: 1141

SUBDIVISION The summent LOT # 52 ISSUED TO: Showease Const. Facility Type: SFO 60×58 - 481 New Expansion Repair Basement? Yes No Basement Fixtures? Yes No Type of Wastewater System** 25% Ned-tron Sys- (Initial) Wastewater Flow: 480 GPD (See note below, if applicable 12) 25% Reduction System (Repair) **Installation Requirements/Conditions** Exact length of each trench 11275 feet Trench Spacing: 9 Feet on Center Septic Tank Size 1000 gallons Pump Tank Size _____ gallons Trenches shall be installed on contour at a Soil Cover: Maximum Trench Depth of: 18-24 inches (Maximum soil cover shall not exceed (Trench bottoms shall be level to +/-1/4" 36" above the trench bottom) in all directions) Pump Requirements: _____ft. TDH vs. GPM inches below pipe Aggregate Depth: ______ inches above pipe inches total I understand the system type specified is different from the type specified on the application. I accept the specifications of this permit. **If applicable: Owner/Legal Representative Signature: This Construction Authorization is subject to revocation if the site plan, plat, or the intended use changes. The Construction Authorization shall not be transferred when there is a change in ownership of the site. This Construction Authorization is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to the conditions of this permit. Date: 03-12-08

Construction Authorization Expiration Date: 03-12-2013 Authorized State Agent: ____

HTE# 08-500-19483

Permit # 24 663

Harnett County Department of Public Health Site Sketch

Authorized State Agent: Authorized State Agent:	PROPERTY LOCATON:	141 he Summ.+ Date: 03-12-	LOT # <u>52</u>
10 10 10 10 10 10 10 10 10 10 10 10 10 1	25%. Reduction Repair	Shallow, level or l Shown Marwtan Meet ons Layout Zastall	Nigher Wheree W All Sct Back ite for Final 1xayo 125% syuten at
6	22		
34 Dr. 257. 11 34 Dr. 6 257.	, A 60°		

Timber Line