

HTE# 08-500-19564R

# Harnett County Department of Public Health

24680

## Improvement Permit

A building permit cannot be issued with only an Improvement Permit

ISSUED TO: Jason Price Const. PROPERTY LOCATION: 1210  
SUBDIVISION Persimmon Hill LOT # 28

NEW  REPAIR  EXPANSION   
Type of Structure: SFO 46x58 3BR  
Proposed Wastewater System Type: Pump to 2' wide chamber  
Projected Daily Flow: 360 GPD  
Number of bedrooms: 3 Number of Occupants: 9 max

Site Improvements required prior to Construction Authorization Issuance:

Basement  Yes  No  
Pump Required:  Yes  No  May be required based on final location and elevations of facilities

Type of Water Supply:  Community  Public  Well Distance from well 50 feet

Permit valid for:  Five years  
 No expiration

Permit conditions: Meet onsite maintain all set BACKS

MUST BEING IN 8 to 12" of APPROVED COVER  
Keep All parts of septic system 50' from storm pond

Authorized State Agent: J. W. R. I. Date: 04-01-08

SEE ATTACHED SITE SKETCH

The issuance of this permit by the Health Department in no way guarantees the issuance of other permits. The permit holder is responsible for checking with appropriate governing bodies in meeting their requirements. This site is subject to revocation if the site plan, plat, or the intended use changes. The Improvement Permit shall not be affected by a change in ownership of the site. This permit is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to conditions of this permit.

## Construction Authorization

(Required for Building Permit)

The construction and installation requirements of Rules .1950, .1952, .1954, .1955, .1956, .1957, .1958, and .1959 are incorporated by references into this permit and shall be met. Systems shall be installed in accordance with the attached system layout.

ISSUED TO: Jason Price Const. PROPERTY LOCATION: 1210  
SUBDIVISION Persimmon Hill LOT # 28

Facility Type: SFO 46x58-3BR  New  Expansion  Repair

Basement?  Yes  No Basement Fixtures?  Yes  No

Type of Wastewater System\*\* Pump to 2' wide chamber (Initial) Wastewater Flow: 360 GPD

(See note below, if applicable ) LPP (Repair)

### Installation Requirements/Conditions

Septic Tank Size 1000 gallons  
Pump Tank Size 1000 gallons

Exact length of each trench 1 x 400 feet  
Trenches shall be installed on contour at a  
Maximum Trench Depth of: 12 inches  
(Trench bottoms shall be level to  $\pm 1/4"$   
in all directions)

Trench Spacing: 6 Feet on Center  
Soil Cover: 9 inches  
(Maximum soil cover shall not exceed  
36" above the trench bottom)

Pump Requirements: \_\_\_\_\_ ft. TDH vs. \_\_\_\_\_ GPM

Aggregate Depth: \_\_\_\_\_ inches below pipe  
\_\_\_\_\_ inches above pipe  
\_\_\_\_\_ inches total

Conditions: \_\_\_\_\_

\*\*If applicable: *I understand the system type specified is different from the type specified on the application. I accept the specifications of this permit.*

Owner/Legal Representative Signature: \_\_\_\_\_ Date: \_\_\_\_\_

This Construction Authorization is subject to revocation if the site plan, plat, or the intended use changes. The Construction Authorization shall not be transferred when there is a change in ownership of the site. This Construction Authorization is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to the conditions of this permit.

Authorized State Agent: J. W. R. I.

Date: 04-01-08

SEE ATTACHED SITE SKETCH

Construction Authorization Expiration Date: 04-01-2013

HTE# 08-500-19564R

Permit # 24680

# Harnett County Department of Public Health Site Sketch

ISSUED TO: Jason Price Cont.

PROPERTY LOCATOR: 1210

SUBDIVISION Persimmon Hill

LOT # 28

Authorized State Agent: J. L. [Signature]

Date: 04-01-08

Meet on site for Final Layout MAINTAIN ALL SET BACKS  
 Install 1x4s of 2' wide chamber at 10" MAX  
 Must Bring in 8 to 12" of approved COVER  
 Keep Tanks and all parts of septic system 50' from storm Ret. pond

